




FIRST CLASS PRODUCTIONS



OUR HEAD OFFICE OF VERONA:
Abrasive Adria S.r.L. - Via dell'Industria, 63
37015 Sant'Ambrogio Valpolicella (Verona) ITALY
Tel. +39 045 686 1311 - Fax +39 045 686 0323
www.abrasiviadria.com - info@abrasiviadria.com

OUR BRANCH OF SASSUOLO:
Via Valle d'Aosta, 13
41049 Sassuolo

OUR BRANCH OF MILANO:
Via dei Lavoratori, 1-3
20092 Cinisello Balsamo

OUR BRANCH OF TORINO:
Via Garibaldi, 24
10071 Borgaro Torinese




CATALOG OF OUR PRODUCTS




OUR BRANDS



PRODUCTION AREAS



**ZEC ABRASIVE DISCS
AND ADRIALUX DIAMOND
CUTTING DISCS**



**FRANKFURST "5 EXTRA"
POLISHING SECTORS**




METAL DIAMOND TOOLS



**ADRIALUX DIAMOND
TOOLS**



DIAMOND WIRE




**SILICON CARBIDE AND
DIAMOND FILAMENTS
FOR BRUSHES**



**TRADITIONAL
ABRASIVES**



**KEDIL RANGE FOR
THE INSTALLATION OF
NATURAL STONE AND
AGGLOMERATES**



EPOXY SYSTEMS



MASTICS



**MAINTENANCE
AND TREATMENT
OF SURFACES**

OUR COMPANY

Establishing our production philosophy on the achievement of an important goal: foreseeing the needs of the market, creating new concept products and cutting-edge technical solutions.

This means for us offering an efficient service that guarantees over time reliability and high quality standards.

For this reason, over the years, we have created an international team that is able to operate with high technical and commercial professionalism on the leading world markets.

This commitment has given rise to a daily drive in research within our chemical laboratories where technological evolution is strongly characterised by the desire to propose new solutions that are compatible with a respect for nature thanks to the use of raw materials with low environmental impact.

This new catalogue therefore aims to be a complete guide able to propose the comprehensive know-how of Abrasivi Adria srl, divided into the various material processes.

Our technical and commercial personnel is at your complete disposal for any information required on the best use of our products.

TABLE OF CONTENTS

6	TRADITIONAL AND POLISHING ABRASIVES
20	METAL DIAMOND DISCS
22	DIAMOND ABRASIVES FOR MANUAL APPLICATIONS
24	SILICON CARBIDE ABRASIVES FOR MANUAL APPLICATIONS
26	CUTTERS, FELTS AND ABRASIVE PASTES
28	GRINDERS AND ACCESSORIES
30	ACCESSORIES FOR MANUAL PROCESSINGS
32	BRUSHES
36	SINTERED DIAMOND WIRES AND BLADES
38	SINTERED AND ELECTROLYTIC DIAMOND WIRES AND BLADES
40	DRILL BITS AND DIAMOND DRILL TIPS
42	CONNECTIONS AND DIAMOND DRILL BITS
44	BITS AND TOOLS
46	SANDING, SCRATCHING FOR MARBLE AND GRANITE
48	ROTARY TRIMMING AND BUSH-HAMMERING FOR MARBLE AND GRANITE
49	BUSH-HAMMERING AND FLAMING FOR MARBLE AND GRANITE
50	TWO-COMPONENT POLYESTER MASTICS
54	TWO-COMPONENT EPOXY MASTICS
56	EPOXY SYSTEMS
58	REINFORCEMENT AND CONSOLIDATION SYSTEMS
60	HOT POUR FILLERS AND ABRASIVE PASTES
62	PROTECTIVE PRODUCTS AND COLOUR ENHANCERS
65	WAXES, BRUSHES AND FELTS
66	CUTTERS
68	ACCESSORIES FOR CUTTERS
70	SANDERS AND POLISHERS
72	SINGLE-BRUSH MACHINES
74	VACUUMS
76	LIFTING SYSTEMS
78	LIFTING SYSTEMS (SUCTION CUPS)
80	PACKAGING SYSTEMS
82	PACKAGING
85	MEASURING SYSTEMS
86	WRITING SYSTEMS
88	GLOVES
90	SAFETY MASKS
92	CLOTHING AND PROTECTION SYSTEMS
94	EARPLUGS, GOGGLES AND HEADSETS
96	SHOES
98	KEDIL INSTALLATION SYSTEMS
102	TECHNICAL EQUIPMENT

TRADITIONAL AND POLISHING ABRASIVES FOR MARBLE, GRANITE AND AGGLOMERATES



03590402



00525003



00527003



00531034



00533005



00513001



00130001



00130000



00130195

03590402 FRANKFURT METAL DIAMOND SECTORS - M/G/AQ

Diamond segments type Frankfurt Verona with 8 or 12 teeth for polishing. Grit sizes A0 (16), A1 (24), A2 (36), A3 (46), A4 (60), A5 (80), A6 (120).

00525003 FRANKFURT VERONA SECTORS IN MAGNESITE - M/G/AQ

Magnesite-based binder sectors type Frankfurt in silicon carbide. Grit sizes 16 - 24 - 36 - 46 - 60 - 80 - 100 - 120 - 180 - 220 - 280 - 320.

00527003 FRANKFURT VERONA EXPRESS SYNTHETIC SECTORS WITH PHENOLIC BINDER - M/G/AQ

Express phenolic synthetic bond sectors Frankfurt Verona type in silicon carbide. Grit sizes 16 - 24 - 36 - 46 - 60 - 80 - 100 - 120 - 180 - 220 - 280 - 320.

00531034 FRANKFURT VERONA SYNTHETIC SECTORS POLYESTER WITH SPHERES - M

Polyester synthetic bond sectors "C P" Frankfurt Verona type with spheres in silicon carbide. Grit sizes 16 - 24 - 36 - 46 - 60 - 80 - 120 - 180 - 220 - 280 - 320.

00533005 FRANKFURT VERONA SYNTHETIC SECTORS POLYESTER - M

Polyester synthetic bond sectors Frankfurt Verona type in silicon carbide. Grit sizes 300 - 3/4 - 400 - 600 - 800 - 1000 - 3000 - 5000.

00513001 SYNTHETIC POLYESTER TANGENTIAL SECTORS MM 140 - M

Polyester synthetic bond tangential sectors mm 140 in silicon carbide. Grit sizes 320 - 3/4 - 400 - 600 - 800 - 1000 - 1200 - 1500.

00130001 FRANKFURT ADRIALUX DIAMOND LOW-PROFILE - M/G/AQ/AM

Synthetic bond sectors Adrialux Frankfurt Verona lowered model (H. 14 mm). Grit sizes 40 - 60 - 80 - 120 - 150 - 180 - 220 - 280 - 320 - 400 - 600 - 800 - 1500 - 3000 - 6000.

00130000 FRANKFURT ADRIALUX DIAMOND SECTORS HIGH-PROFILE - M/G/AQ/AM

Synthetic bond sectors Adrialux Frankfurt Verona high model (H. 33 mm). Grit sizes 40 - 60 - 80 - 120 - 150 - 180 - 220 - 280 - 320 - 400 - 600 - 800 - 1500 - 3000 - 6000.

00130195 FRANKFURT ADRIALUX DIAMOND SECTORS CHECKERED PATTERNS - M/G/AQ/AM

Synthetic Frankfurt adrialux diamond sectors checkered patterns Grit sizes 40 - 60 - 80 - 120 - 150 - 180 - 220 - 280 - 320 - 400 - 600 - 800 - 1500 - 3000 - 6000.



00535005	"5 EXTRA" FRANKFURT PRESSED POLISHING SECTORS - M
	5 extra polishing sectors type Frankfurt pressed. Available in different hardnesses.
00535077	"5 EXTRA" SYNTHETIC FRANKFURT POLISHING SECTORS - M/AM
	5 extra polishing sectors type Frankfurt synthetic. Available in different hardnesses.
00517001	"5 EXTRA" TANGENTIAL SECTORS MM 140 POLISHING - M
	5 extra polishing tangential sectors mm 140 pressed. Available in different hardnesses.
00537003	FRANKFURT VERONA CLEANER SECTORS - M
	Synthetic bond sectors type Frankfurt Verona "cleaner bricks". Available in different hardnesses.
03537017	FRANKFURT FULL-SHAPED CLEANERS SECTORS M
	Synthetic bond sectors type Frankfurt Verona full-shaped cleaners. Available in different hardnesses.
00541001	FRANKFURT CLEANING BRUSHES M/G
	Nylon Frankfurt cleaning brushes (wire thickness 1.2 mm).
00541005	FRANKFURT FELTS CLEANER SECTORS - M
	Merino Wool cleaner felts type Frankfurt.
00137020	ADRIALAP FRANKFURT DIAMOND SECTORS - M/G
	Diamond Frankfurt Adrialap sectors for honed surfaces.
00543001	FRANKFURT FELTS FOR HONED SURFACES - M/G/AQ
	Frankfurt felt bricks for honed surfaces, available in green (fine honed surface) and brown (coarse honed surface).
01510001	FRANKFURT PLASTIC HOLDERS
	Plastic holders for installation of Frankfurt abrasives.
01510005	PLASTIC HOLDERS RIGHT AND/OR LEFT FOR FRANKFURT ABRASIVES
	Right and/or left plastic holders for Frankfurt abrasives.
01510010	ALUMINIUM HOLDERS RIGHT AND/OR LEFT FOR FRANKFURT ABRASIVES
	Right and/or left aluminium holders for Frankfurt abrasives.

TRADITIONAL AND POLISHING ABRASIVES FOR MARBLE, GRANITE AND AGGLOMERATES



03586105	METAL DIAMOND SATELLITES G/AQ	Metal diamond satellites diameter 150 mm with threaded connection M 45. Grit sizes 36 - 40 - 50 - 60.
03588001	METAL TANGENTIAL DIAMOND SECTORS - G/AQ	Metal diamond tangential sectors mm 130. Available in grit sizes 30/40 - 40/50 - 50/60 - 60/70 - 80/100 - 100/120 - 120/140 - 140/170 - 170/200 - 200/300.
03588009	ROUNDED METAL TANGENTIAL DIAMOND SECTORS - G/AQ	Rounded metal diamond tangential sectors mm 130, designed to minimise any risks of scratches, generated by the tool tips or edges, which may form during processing. Grit sizes 30/40 - 40/50 - 50/60 - 60/70 - 80/100 - 100/120 - 120/140 - 140/170 - 170/200 - 200/300.
03584001	DIAMOND ROLLS TYPE SP 6 - G/AQ	Metal diamond rolls diameter mm 150 x h mm 90. Available in grit sizes 1 - 2 - 3.
00501001	MAGNESITE TANGENTIAL SECTORS MM 130 WITH PEDRINI FITTING - G/AQ	Magnesite tangential sectors mm 130 with Pedrini fitting. Grit sizes 16 - 24 - 36 - 46 - 60 - 80 - 100 - 120 - 150 - 180 - 220 - 280 - 320 - 400 - 600 - 800 - 1000 - 1200 - 1500.
00507001	MAGNESITE TANGENTIAL SECTORS MM 140 - G/AQ	Magnesite tangential sectors mm 140. Grit sizes 16 - 24 - 36 - 46 - 60 - 80 - 100 - 120 - 150 - 180 - 220 - 280 - 320 - 400 - 600 - 800 - 1000 - 1200 - 1500.
00519001	MAGNESITE TANGENTIAL SECTORS MM 170 WITH PEDRINI FITTING - G/AQ	Magnesite tangential sectors mm 170 with Pedrini fitting. Grit sizes 16 - 24 - 36 - 46 - 60 - 80 - 100 - 120 - 150 - 180 - 220 - 280 - 320 - 400 - 600 - 800 - 1000 - 1200 - 1500.



00509001



00511007



00509115



00101003



00101104



00101500



00101294

00509001 EXPRESS PHENOLIC BOND SYNTHETIC TANGENTIAL SECTORS MM 140 - M/G/AQ

Express synthetic phenolic bond tangential sectors mm 140 Grit sizes 16 - 24 - 36 - 46 - 60 - 80 - 100 - 120 - 180 - 220 - 280 - 320.

00509115 "RESIN REMOVER" EXPRESS SYNTHETIC PHENOLIC BOND TANGENTIAL SECTORS MM 140 - M/G/AQ

Express synthetic phenolic bond tangential sectors mm 140 for removing resin. Grit sizes Q1 - S1 - Q2 - S2.

00511007 POLYESTER SYNTHETIC TANGENTIAL SECTORS MM 140 WITH SPHERES - M/G

Polyester synthetic sectors, 140 mm in size, model "C.P." (with spheres). Grit sizes 46 - 60 - 80 - 120 - 150 - 180 - 220 - 280 - 320.

00101003 DIAMOND LOW-PROFILE ADRIALUX TANGENTIAL SECTORS MM 140 - M/G

Adrialux synthetic bond low-profile diamond tangential sectors, 140 mm in size. Grit sizes 40 - 60 - 80 - 100 - 120 - 150 - 180 - 220 - 280 - 320 - 400 - 600 - 800 - 1000 - 1200 - 1500 - 1800 - 2000 - 2200 - 2600.

00101104 DIAMOND HIGH-PROFILE ADRIALUX TANGENTIAL SECTORS MM 140 - M/G

Adrialux synthetic bond high-profile diamond tangential sectors 140 mm. Grit sizes 40 - 60 - 80 - 100 - 120 - 150 - 180 - 220 - 280 - 320 - 400 - 600 - 800 - 1000 - 1200 - 1500 - 1800 - 2000 - 2200 - 2600.

00101500 "RESIN REMOVER" DIAMOND HIGH-PROFILE ADRIALUX TANGENTIAL SECTORS MM 140 - M/G

Adrialux synthetic bond high-profile diamond tangential sectors, 140 mm in size, designed specifically to remove epoxy systems from granite. Grit sizes 1 - 2 - 3 - 4 - 5 - 6.

00101294 DIAMOND HIGH-PROFILE ADRIALUX TANGENTIAL SECTORS MM 170 - M/G

Adrialux synthetic bond diamond tangential sectors 170 mm. Grit sizes 40 - 60 - 80 - 100 - 120 - 150 - 180 - 220 - 280 - 320 - 400 - 600 - 800 - 1000 - 1200 - 1500 - 1800 - 2000 - 2200 - 2600.

TRADITIONAL AND POLISHING ABRASIVES FOR MARBLE, GRANITE AND AGGLOMERATES



00105001



00105270



00105401



00543007



00107010

00105001 TANGENTIAL SECTORS MM 150 LOW-PROFILE ADRIALUX FOR QUARTZ AGGLOMERATES - AQ

Adrialux synthetic bond low-profile diamond polishing tangential sectors 150 mm. Grit sizes 100 - 120 - 150 - 180 - 220 - 320 - 400 - 600 - 800 - 1500 - 3000 - 6000.

00105270 TANGENTIAL SECTORS MM 167 ADRIALUX LOW-PROFILE PER QUARTZ AGGLOMERATES - AQ

Adrialux synthetic bond low-profile diamond polishing tangential sectors 167 mm. Grit sizes 100 - 120 - 150 - 180 - 220 - 320 - 400 - 600 - 800 - 1500 - 3000 - 6000.

00105401 TANGENTIAL SECTORS MM 167 ADRIALUX HIGH-PROFILE FOR QUARTZ AGGLOMERATES - AQ

Adrialux synthetic bond high-profile diamond polishing tangential sectors 167 mm low-profile model. Grit sizes 100 - 120 - 150 - 180 - 220 - 320 - 400 - 600 - 800 - 1500 - 3000 - 6000.

00543007 TANGENTIAL FELTS MM 140 FOR HONED SURFACES -M/G/AQ

Tangential felt bricks mm 140 for honed surfaces, available in green (fine honed surface) and brown (coarse honed surface).

00107010 ADRIALAP DIAMOND TANGENTIAL SECTORS MM 140 - M/G/AQ

Adrialap tangential diamond sectors mm 130 for grinding.



00515041	POLISHING TANGENTIAL SECTORS MM 140 LOW-PROFILE - G
	Polishing synthetic low-profile 140 mm tangential sectors. Available in different types.
00515001	POLISHING TANGENTIAL SECTORS MM 140 HIGH-PROFILE - G
	Synthetic tangential sectors mm 140 polishing high-profile. Available in different types.
00505001	POLISHING TANGENTIAL SECTORS MM 130 WITH PEDRINI FITTING HIGH-PROFILE - G
	Synthetic tangential sectors mm 130 polishing high-profile. Available in different types.
00523005	POLISHING TANGENTIAL SECTORS MM 170 LOW-PROFILE - G
	Polishing synthetic low-profile 170 mm tangential sectors. Available in different types.
00523001	POLISHING TANGENTIAL SECTORS MM 170 HIGH-PROFILE - G
	Synthetic tangential sectors mm 170 high-profile. Available in different types.

TRADITIONAL AND POLISHING ABRASIVES FOR MARBLE, GRANITE AND AGGLOMERATES



03582031 DIAMOND METAL PLATES - M/G

Diamond metal plates with sector Ø250 mm. Grit sizes 40 - 50 - 120.

00545001 MAGNESITE PLATES -M/D/AQ

Magnesite plates Ø mm 250. Grit sizes 16 -24 - 36 - 46 - 60 - 120 - 220 - 320.

00547001 EXPRESS SYHNTHETIC PHENOLIC BOND PLATES - M/G/AQ

Express synthetic plates Ø mm 250.
Grit sizes 16 -24 - 36 - 46 - 60 - 120 - 220 - 320.

00110060 ADRIALUX DIAMOND PLATES WITH SNAIL CONNECTION - M/G/AQ/AM

Synthetic bond diamond Adrialux plates with snail connection available in Ø 220 mm.
Grit sizes 36 - 46 - 60 - 80 - 120 - 220 - 320 - 400 - 600 - 800 - 1500 - 3000 - 5000 - 8000.

00110002 ADRIALUX DIAMOND PLATES WITH QRS (VELCRO) CONNECTION - M/G/AQ/AM

Adrialux synthetic bond diamond Adrialux plates with QRS (velcro) connection available in Ø 220 mm and Ø mm 250. Grit sizes 36 - 46 - 60 - 80 - 120 - 220 - 320 - 400 - 600 - 800 - 1500 - 3000 - 5000 - 8000.

00110132 ADRIALUX DIAMOND PLATES WITH MAGNETIC HOLDER - M/G/AQ/AM

Adrialux synthetic bond diamond plates with magnetic holder available in Ø 220 mm.
Grit sizes 36 - 46 - 60 - 80 - 120 - 220 - 320 - 400 - 600 - 800 - 1500 - 3000 - 5000 - 8000.



00549041



00553011



00551011



00557001



00559001



00555001



00561001



00563001

00549041 POLYESTER SYNTHETIC PLATES - M/AM

Synthetic polyester plates Ø 250 mm. Grit sizes 3/4 - 400 - 600 - 800.

00553011 POLISHING PLATES - G

Polishing plates for granite Ø 250 mm.

00551011 5 EXTRA POLISHING PLATES - M/AM

5 extra polishing plates for marble Ø mm 250.

00557001 EXPRESS MÜNCHEN PHENOLIC BOND SYNTHETIC SECTORS - M/G

Express München synthetic bond sectors. Grit sizes 16 -24 - 36 - 46 - 60 - 120 - 220 - 320.

00555001 MÜNCHEN MAGNESITE SECTORS - M/G

München magnesite bond sectors. Grit sizes 16 -24 - 36 - 46 - 60 - 120 - 220 - 320.

00561001 5 EXTRA MÜNCHEN POLISHING SECTORS - M/AM

5 extra München polishing sectors with plastic holder.

00559001 MÜNCHEN SYNTHETIC POLYESTER SECTORS - M

München polyester sectors. Grit sizes 3/4 - 400 - 600 - 800.

00563001 MÜNCHEN POLISHING SECTORS - G

München polishing sectors for granite.

TRADITIONAL AND POLISHING ABRASIVES FOR MARBLE, GRANITE AND AGGLOMERATES



03592105	METAL BOND DIAMOND FLOOR SMOOTHERS - M
	Metal bond diamond floor smoothers. Grit sizes 0 - 1 - 2 - 3.
03592305	METAL BOND DIAMOND FLOOR SMOOTHERS FOR CEMENT-BONDED MARBLE AGGLOMERATES (TERRACE) - T
	Metal bond diamond floor smoothers. Grit sizes 0 - 1 - 2 - 3.
03592005	METAL BOND DIAMOND FLOOR SMOOTHERS FOR GRANITE - G
	Metal bond diamond floor smoothers. Grit sizes 0 - 1 - 2 - 3.
03592205	METAL BOND DIAMOND FLOOR SMOOTHERS FOR PORPHYRY - P
	Metal bond diamond floor smoothers. Grit sizes 0 - 1 - 2 - 3.
00565001	MAGNESITE PRISMATIC SEGMENTS - M/T
	Magnesite bond prismatic segments. Grit sizes 16 - 24 - 36 - 46 - 60 - 120 - 200 - 300.
00566001	EXPRESS SYNTHETIC PHENOLIC BOND PRISMATIC SEGMENTS - M/T
	Express synthetic bond prismatic segments. Grit sizes 16 - 24 - 36 - 46 - 60 - 120 - 200 - 300.
00567001	ALUMINOUS CEMENT PRISMATIC SEGMENTS - M
	Aluminous cement bond prismatic segments Grit sizes 36 - 60 - 120.
00569001	POLYESTER SYNTHETIC POLYESTER SEGMENTS - M/T
	Polyester synthetic bond prismatic segments Grit sizes 2/3 - 3/4 - 400 - 600 - 800.
00120001	ADRIALUX DIAMOND MAGNETIZED PRISMATIC SEGMENTS - M/G/T/P
	Adrialux prismatic magnetized synthetic bond diamond segments in 4 sectors. Grit sizes 60 - 80 - 120 - 220 - 320 - 400 - 600 - 800 - 1500 - 3000 - 5000.
00571001	5 EXTRA PRISMATIC POLISHING SEGMENTS - M
	5 extra prismatic polishing segments.
00577001	MAGNESITE ROLLS MM 100 WITH TERZAGO FITTING - G/P
	Magnesite rolls with Terzago fitting diameter mm 100. Grit sizes 16 - 24 - 36 - 60 - 120 - 220 - 320 - 400 - 600 - 800 - 1000 - 1200.
00125200	ADRIALUX HIGH-PROFILE DIAMOND ROLLS MM 100 WITH TERZAGO FITTING - G/P
	Adrialux synthetic bond diamond rolls with Terzago fitting 100 mm diameter. Grit sizes 60 - 80 - 120 - 150 - 220 - 320 - 400 - 600 - 800 - 1000 - 1500 - 3000 - 5000.



00579001



00573001



00125065



00575001



00588006



00588012



00588013



00588031



00588037



00588045



00588054

00579001 POLISHING ROLLS MM 100 WITH TERZAGO FITTING - G/P

Polishing rolls mm 100 with Terzago fitting

00573001 MAGNESITE ROLLS MM 100 WITH SCREW FITTING - G/P

Magnesite honing rolls with screw fitting diameter mm 100.
Grit sizes 16 - 24 - 36 - 60 - 120 - 220 - 320 - 400 - 600 - 800 - 1000 - 1200.

00125065 ADRIALUX HIGH PROFILE HONING ROLLS MM 100 WITH SCREW FITTING - G/P

Adrialux synthetic bond diamond honing rolls with screw coupling 100 mm diameter.
Grit sizes 60 - 80 - 120 - 150 - 220 - 320 - 400 - 600 - 800 - 1000 - 1500 - 3000 - 5000.

00575001 POLISHING ROLLS MM 100 WITH SCREW FITTING - G/P

Polishing rolls mm 100 with screw fitting.

00588006 DARK GRANITE POLISHING POWDER TYPE A - G

Type A polishing powder for polishing dark granites.

00588012 LIGHT GRANITE POLISHING POWDER - TYPE B

Type B polishing powder for polishing light granites.

00588013 TIN OXIDE - G

99.9% pure tin oxide polishing powder to obtain the best polishing for granite.

00588031 OXALIC ACID CRYSTALS - M

Oxalic acid in crystal form for polishing natural and agglomerate marble, stone and onyx.

00588037 OXALIC ACID POWDER - M

Oxalic acid polishing powder for polishing natural and agglomerate marble, stone and onyx.

00588045 ACETOSELLA SALT - M

Acetosella salt in fine or medium crystals for polishing natural and agglomerate marble, stone and onyx.

00588054 5/B YELLOW POLISHING POWDER - M

5/B polishing powder for machine- or hand-polishing of natural and agglomerate marble, stone and onyx.

TRADITIONAL AND POLISHING ABRASIVES FOR MARBLE, GRANITE AND AGGLOMERATES



00591301



00591401



00591101



00592001



00593011



00145365



00145460



00146620



00147730

00591301 STAR-SHAPED MAGNESITE WHEELS FOR STRAIGHT EDGES - G/AQ

Star-shaped, snail lock magnesite polishing wheels 130 mm and 150 mm diameter for straight edges. Grit sizes 16 - 24 - 36 - 46 - 60 - 120 - 220 - 320 - 400 - 600 - 800 - 1000 - 1200.

00591401 3-SEGMENTS MAGNESITE POLISHING WHEELS FOR STRAIGHT EDGES - G/AQ

3-segments snail lock magnesite polishing wheels 130 mm and 150 mm diameter for straight edges. Grit sizes 16 - 24 - 36 - 46 - 60 - 120 - 220 - 320 - 400 - 600 - 800 - 1000 - 1200.

00591101 MAGNESITE WHEELS HOLE MM 50 FOR STRAIGHT EDGES - M/G

Snail lock magnesite wheels, available in 130 mm and 150 mm diameter, for honing and pre-polishing of straight edges on granite and marble (up to grit size 320). Inner hexagonal hole of the abrasive 50 mm. Grit sizes 16 - 24 - 36 - 46 - 60 - 120 - 180 - 220 - 280 - 320 - 400 - 600 - 800 - 1000 - 1200.

00592001 EXPRESS PHENOLIC BOND SYNTHETIC WHEELS HOLE MM 50 FOR STRAIGHT EDGES - M/G

Express snail lock synthetic wheels, available in 130 mm and 150 mm diameter, for honing and pre-polishing of straight edges on granite and marble (up to grit size 320). Inner hexagonal hole 50mm. Grit sizes 16 - 24 - 36 - 46 - 60 - 120 - 220 - 320.

00593011 POLYESTER SYNTHETIC WHEELS HOLE MM 50 FOR STRAIGHT EDGES - M

Synthetic snail lock wheels available in diameters 130 and 150 mm on straight edges. Inner hexagonal hole: 50 mm. Grit sizes 300 - 400 - 600 - 800 - 1000.

00145365 ADRIALUX DIAMOND POLISHING WHEELS 100 WITH GROOVES FOR STRAIGHT EDGES - M/G/AQ

Adrialux synthetic bond snail lock diamond polishing wheels 100 mm diameter for straight edges. They are available with rigid or rubber backing to better conform to the shape of the worked surface. Grit sizes 40 - 60 - 80 - 120 - 150 - 200 - 300 - 400 - 600 - 800 - 1200 - 1500 - 3000 - 5000 - 6000 - 8000.

00145460 ADRIALUX INCLINED DIAMOND POLISHING WHEELS MM 100 WITH GROOVES FOR STRAIGHT EDGES - M/G/AQ

Adrialux synthetic bond snail lock diamond polishing wheels 100 mm diameter for inclined surfaces. These wheels are available with rigid or rubber backing to better conform to the shape of the worked surface. Grit sizes 40 - 60 - 80 - 120 - 150 - 200 - 300 - 400 - 600 - 800 - 1200 - 1500 - 3000 - 5000 - 6000 - 8000.

00146620 ADRIALUX DIAMOND POLISHING WHEELS 130 WITH GROOVES FOR STRAIGHT EDGES - M/G/AQ

Adrialux synthetic bond snail lock diamond polishing wheels 130 mm diameter for straight edges. They are available with rigid or rubber backing to better conform to the shape of the worked surface. Grit sizes 40 - 60 - 80 - 120 - 150 - 200 - 300 - 400 - 600 - 800 - 1200 - 1500 - 3000 - 5000 - 6000 - 8000.

00147730 ADRIALUX DIAMOND POLISHING WHEELS 150 WITH GROOVES FOR STRAIGHT EDGES - M/G/AQ

Adrialux synthetic bond snail lock diamond polishing wheels 150 mm diameter with 73 mm inner circular hole in the abrasive for straight edges. These wheels are available with rigid or rubber backing to better conform to the shape of the worked surface. Grit sizes 40 - 60 - 80 - 120 - 150 - 200 - 300 - 400 - 600 - 800 - 1200 - 1500 - 3000 - 5000 - 6000 - 8000.



00146410	ADRIALUX 130 MM DIAMOND WHEELS WITH CHANNELS FOR STRAIGHT EDGES - M/G/AQ Adrialux synthetic bond snail or velcro lock diamond polishing wheels 130 mm diameter with water channels for straight edges. These wheels are available with rigid or rubber backing to better conform to the shape of the worked surface. Inner circular hole: 50 mm. Grit sizes 40 - 60 - 80 - 120 - 150 - 200 - 300 - 400 - 600 - 800 - 1200 - 1500 - 3000 - 5000 - 6000 - 8000.
00147625	ADRIALUX 150 MM DIAMOND WHEELS WITH CHANNELS FOR STRAIGHT EDGES - M/G/AQ Adrialux synthetic bond snail or velcro lock diamond polishing wheels 150 mm diameter with water channels for straight edges. These wheels are available with rigid or rubber backing to better conform to the shape of the worked surface. Inner circular hole: 50 mm. Grit sizes 40 - 60 - 80 - 120 - 150 - 200 - 300 - 400 - 600 - 800 - 1200 - 1500 - 3000 - 5000 - 6000 - 8000.
00146501	ADRIALUX DOMED POLISHING DISCS MM 130 FOR STRAIGHT EDGES - M/G/AQ Adrialux synthetic bond snail lock diamond polishing wheels 130 mm diameter for straight edges. Thanks to the inclined edge, they allow a perfect sanding, especially at the beginning and at the end of the processed material. These wheels are available with rigid or rubber backing to better conform to the shape of the worked surface. Inner circular hole 18 mm for the Ø 130 mm. Grit sizes 40 - 60 - 80 - 120 - 150 - 200 - 300 - 400 - 600 - 800 - 1200 - 1500 - 3000 - 5000 - 6000 - 8000.
00147310	ADRIALUX DOMED POLISHING DISCS MM 150 FOR STRAIGHT EDGES - M/G/AQ Adrialux synthetic bond snail lock diamond polishing wheels 150 mm diameter for straight edges. Thanks to the inclined edge, they allow a perfect sanding, especially at the beginning and at the end of the processed material. They are available with rigid or rubber backing to better conform to the shape of the worked surface. Inner circular hole 18 mm for the Ø 130 mm. Grit sizes 40 - 60 - 80 - 120 - 150 - 200 - 300 - 400 - 600 - 800 - 1200 - 1500 - 3000 - 5000 - 6000 - 8000.
00146519	ADRIALUX DIAMOND POLISHING DISCS FOR STRAIGHT EDGES HOLE 50 - M/G Adrialux synthetic bond snail lock diamond polishing wheels 130 - 150 mm diameter for straight edges. These wheels are available with rigid or rubber backing to better conform to the shape of the worked surface. Inner circular hole: 50 mm. Grit sizes 40 - 60 - 80 - 120 - 150 - 200 - 300 - 400 - 600 - 800 - 1200 - 1500 - 3000 - 5000 - 6000 - 8000.
00597051	STAR-SHAPED POLISHING WHEELS FOR STRAIGHT EDGES - G Star-shaped snail lock polishing wheels diameter mm 130 and 150 mm.
00597101	3-SEGMENTS POLISHING WHEELS FOR STRAIGHT EDGES - G 3-segments snail lock polishing wheels diameter mm 130 and 150 mm.
00597001	POLISHING WHEELS FOR STRAIGHT EDGES - G Snail lock polishing wheels diameter mm 130 and 150 mm hexagonal hole mm 50.
00596101	5 EXTRA POLISHING WHEELS FOR STRAIGHT EDGES - M 5 extra snail lock polishing wheels diameter mm 100 - mm 130 and mm 150 available in different types. Inner circular hole: 50 mm.
00153215	ADRIALAP DIAMOND WHEELS FOR STRAIGHT EDGES - M/G/AQ Adrialap snail lock honing wheels, 130 mm and 150 mm diameter, designed to provide an uniform honed finishing, leaving no scratch marks, on natural and agglomerate marble, granite and quartz. Inner circular hole: 50 mm. Grit sizes 120 - 220 - 320 - 400 - 600.

TRADITIONAL AND POLISHING ABRASIVES FOR MARBLE, GRANITE AND AGGLOMERATES



00594001



00595001



00595701



00155001



00155105



00155703



00597501



00597651



00596401

00594001 MAGNESITE HONING WHEELS WITH SMALL HOLE, FOR BULLNOSED EDGES - G/AQ

Magnesite snail lock wheels, available in 100 - mm 130 and mm 150 diameter, with 25 mm small inner circular hole, on full or half bullnosed profiles. Grit sizes 36 - 46 - 60 - 80 - 120 - 220 - 320 - 400 - 600 - 800 - 1000 - 1200.

00595001 SYNTHETIC POLYESTER WHEELS FOR BULLNOSED EDGES SMALL HOLE - M/G/AQ

Synthetic snail lock wheels in 100 - mm 130 and mm 150 diameter, with 25 mm small inner circular hole, on full or half bullnosed profiles. Grit sizes 36 - 46 - 60 - 80 - 120 - 220 - 320 - 400 - 600 - 800 - 1200 - 1500.

00595701 SYNTHETIC POLYESTER WHEELS FOR BULLNOSED EDGES, WITH LARGE HOLE - M/G/AQ

Synthetic snail lock wheels 150 mm with 75 mm inner circular hole on full or half bullnosed profiles. Grit sizes 36 - 46 - 60 - 80 - 120 - 220 - 320 - 400 - 600 - 800 - 1200 - 1500.

00155001 ADRIALUX LOW-PROFILE DIAMOND WHEELS FOR BULLNOSED EDGES, WITH SMALL HOLE - M/G/AQ

Adrialux synthetic bond snail lock diamond wheels, available in 100 mm, 130 mm and 150 mm diameter, with 25mm inner circular hole, for half and full bullnosed profiles. Grit sizes 40 - 60 - 80 - 120 - 150 - 200 - 300 - 400 - 600 - 800 - 1000 - 1200 - 1500 - 3000 - 6000.

00155105 ADRIALUX HIGH-PROFILE DIAMOND WHEELS FOR BULLNOSED EDGES, WITH SMALL HOLE - M/G/AQ

Adrialux synthetic bond snail lock diamond wheels, available in 100 mm, 130 mm and 150 mm diameter, with 25mm inner circular hole, for half or full bullnosed profiles. Grit sizes 40 - 60 - 80 - 120 - 150 - 200 - 300 - 400 - 600 - 800 - 1000 - 1200 - 1500 - 3000 - 6000.

00155703 ADRIALUX DIAMOND WHEELS FOR BULLNOSED EDGES, WITH LARGE HOLE - M/G/AQ

Adrialux synthetic bond snail lock diamond wheels, available in 150 mm diameter, with 70mm inner circular hole, for half and full bullnosed profiles. Grit sizes 40 - 60 - 80 - 120 - 150 - 200 - 300 - 400 - 600 - 800 - 1000 - 1200 - 1500 - 3000 - 6000.

00597501 POLISHING WHEELS FOR BULLNOSED EDGES, WITH SMALL HOLE - G

Snail lock polishing wheels, available in 100 mm, 130 mm and 150 mm diameter, for polishing half and full bullnosed profiles on granite.

00597651 POLISHING WHEELS FOR BULLNOSED EDGES, WITH LARGE HOLE - G

Snail lock polishing wheels 150 mm with 75 mm inner circular hole on full or half bullnosed profiles.

00596401 5 EXTRA POLISHING WHEELS SMALL HOLE FOR BULLNOSED EDGES - M

5 extra snail lock polishing wheels, 100 mm, 130 mm and 150 mm diameter, suited for polishing half and full bullnosed profiles on natural and agglomerate marble, stone and onyx.



00596651



00598106



00598006



00146725



00590201



00165001



001510030



01510050



01510045

00596651	5 EXTRA POLISHING WHEELS FOR BULLNOSED EDGES WITH LARGE HOLE - M
	5 extra snail lock polishing wheels 150 mm diameter with inner circular hole 75 mm on full or half bullnosed profiles.
00598106	GENERAL PURPOSE MAGNESITE POLISHING WHEELS WITH GROOVES FOR STRAIGHT AND BULLNOSED EDGES -M/G/AQ
	Snail lock all-purpose magnesite polishing wheels 150 mm diameter with grooves on straight, full and half bullnosed edges. Circular internal small hole 25 mm. Grit sizes 36 - 46 - 60 - 80 - 120 - 220 - 320 - 400 - 600 - 800 - 1200 - polish
00598006	POLISHING WHEELS (GENERAL PURPOSE) WITH GROOVES, FOR STRAIGHT AND BULLNOSED EDGES - M/G/AQ
	General purpose snail lock synthetic polishing wheels 150 mm diameter with grooves on straight, full and half bullnosed edges. Circular internal small hole 25 mm. Grit sizes 120 - 220 - 320 - 400 - 600 - 800 - 1200.
00146725	ADRIALUX (GENERAL PURPOSE) DIAMOND WHEELS WITH GROOVES, FOR STRAIGHT AND BULLNOSED EDGES - M/G/AQ
	Adrialux diamond general purpose polishing wheels diameter 130 for straight, bullnose and half bullnosed profiles. Internal small circular hole 20 mm. Grit sizes 40 - 60 - 80 - 120 - 150 - 200 - 300 - 400 - 600 - 800 - 1000 - 1200 - 1500 - 3000 - 6000.
00590201	SYNTHETIC POLYESTER CHAMFERING POLISHING WHEELS - M/G/AQ
	Chamfering synthetic wheels available in 100 mm and 130 mm diameter for creating bevels. Grit sizes 60 - 80 - 120 - 220 - 280 - 320 - 400 - 600 - 800 - 1000.
00165001	ADRIALUX CHAMFERING DIAMOND WHEELS - M/G/AQ
	Adrialux synthetic bond diamond wheels available in 130 mm diameter and various heights for creating bevels. Grit sizes 60 - 80 - 120 - 220 - 280 - 320 - 400 - 600 - 800 - 1000.
001510030	ALUMINIUM BACK-UP SUPPORTS WITH SCREW FOR USE ON EDGE POLISHING MACHINES
	Aluminium back-up supports with right or left snail lock, available in 130 mm or 150 mm diameter, with screw connection, designed to hold edge honing abrasives.
01510050	ALUMINIUM/RUBBER BACK-UP SUPPORTS WITH SCREW FOR USE ON EDGE POLISHING MACHINES
	Back-up supports made of aluminium and rubber, with right or left snail lock, available in 100 mm or 130 mm diameter, with screw connection, designed to hold abrasives for edge polishing machines.
01510045	ALUMINIUM FLAT BACK-UP SUPPORTS FOR USE ON EDGE POLISHING MACHINES
	Aluminium flat back-up supports with right or left snail lock, available in 130 mm diameter designed to hold edge honing abrasives.

METAL DIAMOND DISCS FOR MANUAL APPLICATIONS



03535210



03535005



03535150



03535505



03535515



03535650

03535210 METAL DIAMOND CUP WHEELS PLUS MA 14 - G/C

Plus metal diamond cup wheel, available in 100 mm and 125 mm diameter, with MA14 thread. These tools offer superior rough grinding thanks to very high cutting action. Grit sizes 1 - 2.

03535005 GOLDEN METAL DIAMOND CUP WHEELS PLUS MA 14 - G/C

Golden metal diamond cup wheel, 100 mm in diameter, with MA14 thread. These tools offer a compromise between good grinding efficiency and reasonable cost. Grit sizes 0 - 1 - 2.

03535150 GOLDEN CUP METAL DIAMOND WHEELS - G/C

Golden cup metal diamond cup wheel, available in 100 - 125 and 175 mm diameter, with thread connection. MA14 or 22.2 mm bore. The presence on these tools of more holes allows a good disposal of the dust generated from roughing avoiding overheating of the tool especially during dry use. Grit size 0.

03535505 PLUS ELECTROPLATED CUP WHEELS- M

Plus electroplated cup wheel for fast rough grinding, available in mm 100 diameter with thread MA 14. Grit size 1.

03535515 PLUS STANDARD ELECTROPLATED CUP WHEELS - M

Standard electroplated aluminium cup wheel for rough grinding, available in 100 mm diameter with MA 14 thread and in 100 mm and 125 mm diameter with 22.2 mm hole. Grit size 1.

03535650 HIGH-SPEED ELECTROPLATED CUP WHEELS - M


Electroplated high-speed cup wheel for fast stock removal, available in 115 mm and 180 mm diameter, with 22.2 mm hole. Grit sizes 30 - 40 - 50 - 120.



03540172	METAL BOND SINTERED PROFILE WHEELS WITH MA14 THREAD AND ROTARY TOUCHER - G
	Metal bond sintered profile wheel with MA14 thread, 100 mm in diameter, with various radius sizes, for half and full bullnosed profiles.
03540105	ELECTROPLATED PROFILE CUP WHEELS MA14 WITH FIXED TOUCHER - M
	Electroplated profile wheels with fixed toucher, available in 100 mm diameter, with MA 14 thread, in various radius sizes, for half and full bullnosed profiles.
03540135	ELECTROPLATED PROFILE CUP WHEELS MA14 WITH ROTARY TOUCHER - M
	Electroplated profile wheels with rotary toucher, available in 100 mm diameter, with MA 14 thread, in various radius sizes, for half and full bullnosed profiles.
03540010	VTS PROFILE WHEELS MA 14 WITH ROTARY TOUCHER - M
	VTS profile wheel with rotary toucher, available in 100 mm diameter with MA 14 thread, for half and full bullnosed profiles. These tools offer a good compromise between good cutting performance and reasonable cost.
03540305	45° BEVEL ELECTROPLATED PROFILE CUP WHEELS - M
	45° bevel electroplated profile cup wheel available in 95 mm diameter with thread MA 14. It offers the possibility, by replacing the toucher, to perform three thicknesses: mm 5-10 and 15.
03550255	METAL BOND SEGMENT GRINDING WHEELS MA14 - G
	Metal bond 16-segment grinding wheel, 70 X 35 mm diameter with MA 14 thread.
03550205	ELECTROPLATED GRINDING WHEELS - M
	Electroplated grinding wheel, available in mm 70 x 35 diameter with MA 14 thread.
03545030	ELECTROPLATED GRINDING WHEELS FOR DRIP TRAY MA14
	Electroplated grinding wheel for drip tray MA14, diameter 63 mm width 6 mm and diameter mm 66 width 8 mm.
03545085	SINTERED GRINDING WHEELS FOR DRIP TRAY MA 14
	Sintered grinding wheel for drip tray MA 14, diameter 70 mm width 8 mm.

DIAMOND ABRASIVES FOR MANUAL APPLICATIONS

FOR HONING AND POLISHING MARBLE, GRANITE AND QUARTZ AGGLOMERATES



00170460 "VETRIFIED" FLEXIBLE DIAMOND PADS FOR WET USE - M/G

Flexible vitrified diamond pads for wet use available in 100 mm diameter. Grit sizes 50 - 100 - 150.

00170370 ADRIALUX FLEXIBLE "R" DIAMOND PADS FOR DRY USE - M/G/AQ

Adrialux flexible velcro backed diamond pads for dry use, available in 100 mm diameter. Grit sizes 50 - 100 - 200 - 300 - 400 - 600 - 800 - 1500 - 3000 - lux white - lux black.

00170705 ADRIALUX FLEXIBLE DIAMOND PADS FOR DRY USE DRYFACE - G

Flexible velcro backed diamond pads for dry use on granite, available in 100 mm diameter. Grit sizes 50 - 100 - 200 - 400 - 800 - 1500 - 3000 - lux.

00170738 NINJA FLEXIBLE DIAMOND PADS FOR DRY USE - M/G/AQ

General purpose Ninja flexible diamond pads for dry use. Grit sizes 50 - 100 - 200 - 400 - 800 - 1500 - 3000.

00175315 "ADRIALUX QUARTZ" HOOKIT SUPERFLEXIBLE DIAMONDPADS FOR DRY USE - AQ

Adrialux super flexible velcro backed quartz diamond pads for dry use, available in 117 mm diameter. Grit sizes 60 - 120 - 220 - 400 - 800.

00170001 ADRIALUX FLEXIBLE DIAMOND PADS FOR WET USE - M/G

Adrialux velcro backed flexible diamond pads for wet use, available in 80 mm, 100 mm and 125 mm diameter. Grit sizes 40 - 60 - 120 - 200 - 300 - 400 - 600 - 800 - 1500 - 3000 - lux white - lux black.

00170552 ADRIALUX ULTRAFAST DIAMOND PADS FOR DRY AND WET USE - M/G/AQ

Adrialux velcro backed flexible diamond pads for wet and dry use, available in 100 mm diameter. Grit sizes 1 - 2 - 3.

00175001 "ADRIALUX QUARTZ" FLEXIBLE DIAMOND PADS FOR WET / DRY USE - AQ


Adrialux quartz flexible velcro backed diamond pads for dry use, available in 100 mm diameter. Grit sizes 40 - 60 - 120 - 200 - 300 - 400 - 600 - 800 - 1500 - 3000 - lux white - lux black.



00175105



00170600



00170194



00183000



00183045



00183205



00183475

00175105 "ADRIALUX QUARTZ" FLEXIBLE DIAMOND PADS FOR WET USE - AQ

Adrialux quartz flexible velcro backed diamond pads for wet use, available in 100 mm diameter.
Grit sizes 1 - 2 - 3 - 4 - 5 - 6 - lux.

00170600 DIAFACE PADS Ø 100 MM

Diaface pads Ø 100 mm velcro backed 3 holes, central hole Ø 15 mm.

00170194 ADRIALUX CONVEX DIAMOND PADS FOR WET USE - M/G

Adrialux convex velcro backed diamondpads for wet use available only in 100 mm diameter.
Grit sizes 50 - 100 - 200 - 400 - 800 - 1500 - 3000 - lux white - lux black.

00183045 V30 SHAPED DIAMOND HAND PADS 100 X 55 MM - M/G

V30 shaped diamond hand pads for honing 3cm-thick bullnose edges. Available in size 100 x 55 mm .
Grit size 1 (60) green - 2 (120) black - 3 (200) red - 4 (400) yellow - 5 (500) white) 6 (1000) blue - 7 (8000) orange.

00183000 DIAMOND HAND PADS 90 X 55 MM - M/G

Diamond hand pads, available in size 90 x 55 mm. Grit size 1 (60) green - 2 (120) black - 3 (200) red - 4 (400) yellow - 5 (500) white) 6 (1000) blue - 7 (8000) orange.

00183205 DIAMOND BELTS - M/G

Diamond belts, available in the following sizes: 30 x30 mm - 50 x 42 mm - 75 x 38 - 100 x 38 mm.
Grit size 1 (60) green - 2 (120) black - 3 (200) red - 4 (400) yellow - 5 (500) white) 6 (1000) blue - 7 (8000) orange.

00183475 DIAMOND SHEETS - M/G

Diamond sheets available in various sizes and backings (Velcro QRS, adhesive and canvas) in diameter mm 120x70 - mm 230x280 - triangular mm 80x80. Grit sizes 1 (60) green - 2 (120) black - 3 (200) red - 4 (400) yellow - 5 (500) white) 6 (1000) blue - 7 (8000) orange.

SILICON CARBIDE ABRASIVES FOR MANUAL APPLICATIONS

FOR HONING AND POLISHING MARBLE, GRANITE AND QUARTZ AGGLOMERATES



01035002 SILICON CARBIDE SHEETS 230 x 280 MM - M

Silicon carbide sheets available in size 230 x 280 mm even with reinforced cloth.
Normal grit type: 60 - 80 - 120 - 150 - 180 - 220 - 320 - 400 - 500 - 600 - 800 - 1000 - 1200.
Grit types with reinforced canvas: 36 - 40 - 50 - 60 - 80 - 100 - 120 - 150 - 180 - 220 - 240 - 280 - 320 - 400.

01005402 QRS VELCRO-BACKED FLEXIBLE SILICON CARBIDE DISCS - M

Flexible silicon carbide discs with QRS Velcro backing available in diameters mm 115 - 125 - 150 - 180.
Grit sizes 40 - 60 - 80 - 100 - 120 - 150 - 180 - 220 - 320 - 400 - 500 - 600 - 800 - 1200.

01005202 FLEXIBLE SILICON CARBIDE DISCS WITH HOLE 22.2 MM - M/G

Flexible silicon carbide discs with 22.2 mm centre hole (flange fitting), available in diameters mm 115- 127 - 178. Grit sizes Ø 125: 24 - 36 - 60 - 80 - 120 - 150 - 180 - 220 - 320 - 400. Grit sizes Ø 178: 16 - 24 - 36 - 50 - 60 - 80 - 120 - 150 - 180 - 220 - 320 - 400.

01005102 FLEXIBLE PERFORATED "DOUBLE COATED" SILICON CARBIDE DISCS WITH HOLE 22.2 MM - M/G

Flexible silicon carbide discs with hole 22.2, available in diameters 115-127-178 with double layer to achieve a definitely longer duration compared to single-layer discs. Grit sizes Ø 125: 24 - 36 - 60 - 80 - 120 - 150 - 180 - 220 - 320 - 400. Grit sizes Ø 178: 16 - 24 - 36 - 50 - 60 - 80 - 120 - 150 - 180 - 220 - 320 - 400.

01010202 SEMI-FLEX SILICON CARBIDE DISCS WITH 22.2 MM HOLE - M/G

Semi-rigid silicon carbide discs with 22.2 mm centre hole (flange fitting), available in diameters mm 105 - 115 - 127 - 178.
Grit sizes 16 - 24 - 36 - 50 - 60 - 80 - 120 - 180 - 220 - 280 - 320.

01025302 SILICON CARBIDE FLAP DISCS WITH 22.2 MM HOLE - M/G

Silicon carbide flap discs with 22.2 mm centre hole (flange fitting) available in 110 mm and 165 mm diameter.
Grit sizes 40 - 60 - 120 - 220 - 320.

01010302 PLASTIC ZEC SILICON CARBIDE DISCS WITH 22.2 MM HOLE - M/G

Flat or domed silicon carbide rigid disks. They have to be fitted directly on the grinder without using the plastic support.
Available diameters: 105 - 115 - 127 - 178. Grit sizes 16 - 24 - 36 - 50 - 60 - 80 - 120 - 180 - 220 - 280 - 320.



01020602



01020432



01020202



01020632



01025002



01030002



01032002

01020602 SILICON CARBIDE CONICAL CUP WHEELS, MIGNON TYPE - M/G

Silicon carbide conical cup wheels, Mignon type, 75/85 mm in diameter, available with various fitting options: 22.2 mm hole (flange fitting), MA14 screw and 5/8 screw. They can be used up to max 11,000 rpm. Grit sizes 16 - 24 - 36 - 60 - 80 - 120 - 150 - 180 - 220 - 320 - 400 - 600.

01020432 SILICON CARBIDE CONICAL CUP WHEELS - M/G

Silicon carbide conical cup wheels, 110/90 mm in diameter, available with various fitting options: 22.2 mm hole (flange fitting), MA14 screw and 5/8 screw. They can be used up to max 8500 rpm. Grit sizes 16 - 24 - 36 - 60 - 80 - 120 - 150 - 180 - 220 - 320 - 400 - 600.

01020202 SILICON CARBIDE CYLINDRICAL WHEELS - M/G

Silicon carbide cylindrical wheels, dimensions \varnothing 100 x 40 x 38 mm, available with MA14 thread and 5/8 screw. They can be used up to max 8,500 rpm. Grit sizes 16 - 24 - 36 - 60 - 80 - 120 - 150 - 180 - 220 - 320 - 400.

01020632 SILICON CARBIDE CYLINDRICAL WHEELS, MIGNON TYPE - M/G

Silicon carbide cylindrical wheels, Mignon type, 80 mm in diameter, available with 22.2 mm hole (flange fitting) and MA14 thread. They can be used up to max 11,000 rpm. Grit sizes 16 - 24 - 36 - 60 - 80 - 120 - 150 - 180 - 220.

01025002 SILICON CARBIDE FLAP WHEELS - M/G

Silicon carbide flap wheels, 165 mm in diameter x 30 mm high. Grit sizes 40 - 60 - 80 - 100 - 120 - 150 - 180 - 220 - 320.

01030002 SILICON CARBIDE HAND RUBBING BRICKS

Available in size 200 x 50 x 25 and in following grits: 36 - 60 - 120 - 150 - 220 - 320.

01032002 PUMICE STONE IN BLOCKS

It is recommended for fine hand rubbing applications.

CUTTERS, FELTS AND ABRASIVE PASTES

PASTES



04010003 HARD METAL BOND MOUNTED BITS Ø 6 MM - M

Available in various shapes and sizes for the removal of marble irregularities with different shapes.

03555255 ELECTOPLATED DIAMOND BITS MOUNTED ON SHAFT Ø 6 MM - M

Available in a variety of shapes and sizes, ideal for fine detailed work, mainly for sculpting.

03555400 SET OF ASSORTED ELECTROPLATED BITS MOUNTED ON SHAFT - M

Set of assorted electroplated points mounted on a Ø 3 mm or Ø 6 mm shaft, available in various piece formats.

03555205 SINTERED DIAMOND BITS MOUNTED ON SHAFT Ø 6 MM - M/G

Available in various shapes and sizes for fine smoothing.

01025132 MOUNTED SILICON CARBIDE FLAP DISCS ON SHAFT Ø 6 MM

Available in different diameters and heights: Ø 60 x h15 - Ø 60 x h20 - Ø 60 x h30 in the following grits: 40 - 60 - 80 - 120 - 180 - 240.

03530140 ELECTROPLATED DIAMOND DISCS ON SHAFT Ø 6 MM - M

Available in monoblock type and diameters: 25 - 30 - 40 - 50, DRY USE.

03530521 SINTERED DISCS ON SHAFT Ø 6 MM - G

Available in close-segments type and diameters: 30 - 40 - 50, DRY USE

01030102 MOUNTED SILICON CARBIDE GRINDING DISCS ON SHAFT Ø 6 MM

Available in different diameters and shapes.



02535045



02535065



02535036



02535100



02535001



02535026




02535125




02535027



02535042



02535040



02535044

02535045 MERINO WOOL FELT DISCS

Merino wool felt wheels, suitable for applying polishing pastes, waxes or powders in polishing process. Available in Ø 115x15 - 125x20 - 150x20 - 180x20.

02535065 MERINO WOOL FELT DISCS, FULL TYPE

Merino wool felt wheels, full type, suited for applying polishing pastes, waxes or powders in the polishing process. They must be bonded to an appropriate backer; the advantage of these products is that, owing to their larger thickness (h 40), they last longer. Available in Ø 100 - 130 - 200.

02535036 LAMB WOOL BUFFING PADS

Lamb wool buffing pads, designed for use with waxes in polishing process, available in diameters 115 - 125 - 178. They can be mounted on the same backer pads of the silicon carbide discs.

02535001 CLOTH DISCS

Cloth discs for applying abrasive pastes or waxes using a straight grinder during polishing process. External diameter 200 mm with internal hole 16 - 20 - 30 - 40 mm.

02535026 VENTILATED COTTON DISCS

Ventilated cotton discs for applying polishing pastes or waxes using a straight or angle grinder, for polishing. External diameter 200 mm with internal hole 20 mm.

02535125 MOUNTED CLOTH DISCS

Cloth discs mounted on a 6 mm diameter shaft, suited for applying abrasive pastes or waxes in polishing process. External diameter 80 mm.

02535100 MOUNTED MERINO WOOL FELTS

Merino wool felts mounted on a 6 mm diameter shaft, suited for applying abrasive pastes or waxes during polishing process. Available in various shapes and Ø.

02535027 MOUNTED FLAP FELTS

Flap felts mounted on a 6 mm diameter shaft, available in 50xh30 mm diameter.

02535042 FLAP FELT DISCS

Flap felt discs Ø mm 115 with hole 22.2.

02535040 VELCRO FELT DISCS

Velcro felt discs available in Ø 115-125 mm.

02535044 FELT DISCS MA14

Felt discs MA14 available in Ø 125 mm.

GRINDERS AND ACCESSORIES

FOR MANUAL PROCESSING



04505350



04505309/320



04505030/115



04505001/109



04505406



04510005

04505350	STRAIGHT GRINDERS
Bosch and De Walt straight grinders for use with abrasive flap wheels Ø 165 mm and cloth discs Ø 200 mm.	
04505309/320	MINI STRAIGHT GRINDERS
Bosch and Makita mini straight grinders for use with tools mounted on a 6 mm shaft (flap wheels, grinding wheels and merino wool felts).	
04505030/115	ANGLE GRINDERS
Bosch and Makita angle grinders for use with cutting discs, flap discs Ø 165 mm, cup wheels, flexible and semi-rigid discs Ø 178 mm.	
04505001/109	MINI ANGLE GRINDERS
Bosch and Makita mini angle grinders for use with cutting discs and MIGNON diamond-bond cup wheels up to 125 mm in diameter (fixed-speed grinders), and with flexible and semi-rigid discs Ø 115 mm and 125 mm, flap discs 110 mm in Ø and ADRIALUX discs Ø 100 mm dry use (on adjustable speed grinders).	
04505406	DRY GRINDERS / POLISHERS
Makita angle grinders for dry use with 110 mm Ø flap discs, 125 mm Ø flexible and semi-rigid discs 110 mm Ø ADRIALUX dry discs and merino wool felts.	
04510005	FITTING FOR SUCTION
Fitting for suction of powder from [A model] and cutting (model B). Available for tools Ø 115-125 mm.	



04505427



04505410



04510010



04505438



04505442



04505470

04505427 ELECTRICAL ANGULAR ORBITAL SANDER

De Walt orbital angular grinders for the application of triangular diamond slabs.

04505410 WET GRINDERS / POLISHERS

Wet grinders/polishers. Resin bond wet diamond discs and polishing wheel with small hole may be applied.

04510010 SEPARATOR TRANSFORMERS

Separator transformers for wet grinders/polishers without PRCD.

04505438 PNEUMATIC / WET ANGLE GRINDERS

Pneumatic angle grinder with application of resin bond wet diamond discs Ø 100 mm


04505442 AIR PNEUMATIC ORBITAL POLISHER

Pneumatic orbital sander for use with diamond and silicon carbide sheets (size 120 x 70 mm).

04505470 PNEUMATIC GRINDERS FOR BITS

Pneumatic grinder for tools mounted on Ø 6 or Ø 3 mm shaft.

ACCESSORIES FOR MANUAL PROCESSINGS



01505055 RIGID BACK-UP SUPPORTS WITH VELCRO

Rigid QRS Velcro back-up supports available in various diameters (100 - 115 - 125 - 150 mm), with MA14 thread, designed to hold Velcro- backed flexible diamond discs and silicon carbide discs.

01505073 SEMI-RIGID BACK-UP SUPPORTS WITH VELCRO

Semi-rigid QRS Velcro back-up supports available in various diameters (100 - 115 - 125 - 150 - 180 mm), with MA14 thread, designed to hold Velcro-backed flexible diamond discs and silicon carbide discs.

01515095 ABS BACK-UP SUPPORTS

ABS back-up supports diameter 100 mm with MA14 thread, designed to hold adhesive flexible diamond discs.

01505100 ABS +PLASTAZOTE BACK-UP PLATES WITH VELCRO

Snail lock QRS Velcro back-up plates made from ABS and Plastazote, available in various diameters (100 - 130 mm), designed to hold Velcro-backed diamond discs and silicon carbide discs.

01505115 ABS BACK-UP PLATES W/VELCRO

Snail lock QRS Velcro back-up plates made from ABS, available in various diameters (100 - 130 - 150 mm), designed to hold Velcro-backed diamond discs and silicon carbide discs.

01505200 ROLL OF VELCRO ADHESIVE TAPE, MALE

Velcro adhesive tape, male, available in size 210 mm x 1000 mm to be cut to any length according to needs to replace the worn-out Velcro on back-up pads.

01505170 PLASTAZOTE DISCS

Plastazote discs available in various diameters (100 - 125 mm) and in two thickness heights (2,5 e 10 mm), to be used in conjunction with the appropriate back-up pads or other supports.

01505205 VELCRO ADHESIVE DISCS, MALE

Velcro adhesive discs, male; these discs come in two diameters (100 - 125 mm) and are used to replace the worn-out Velcro on back-up pads.

01515010 PLASTIC BACK-UP SUPPORTS

Plastic back-up supports available in a variety of diameters (125 - 178 mm), with MA14 thread, with or without MA14 ring nut, designed to hold flexible and semi-rigid silicon carbide discs.

01515003 REINFORCED PLASTIC BACK-UP SUPPORTS FOR FLEXIBLE DISCS

Reinforced plastic back-up supports available in various diameters (110-170 mm) with hole MA14 for flexible discs.

01515001 REINFORCED PLASTIC BACK-UP SUPPORTS FOR SEMI-FLEX DISCS

Reinforced plastic back-up supports available in various diameters (110-140 mm) with hole MA14 for semi-flex discs.



01515070 IRON SHIMS

Iron shims suitable for use with Bosch or other makes of grinders with a similar attachment, in conjunction with flat ring nuts with short neck.

01515065 FLAT RING NUTS W/SHORT THREADED NECK

Flat ring nuts with MA14 short threaded neck for use on grinders (for rigid discs and cutting discs with 22.2 hole)

01515060 FLAT RING NUTS W/LONG THREADED NECK

Flat ring nuts with MA14 long threaded neck for use on grinders (for cup wheels and merino wool felts).

01515055 CONE-SHAPED RING NUTS W/SHORT THREADED NECK

Cone-shaped ring nuts with MA14 short threaded neck for use on grinders (holding flexible and semi-rigid carbide discs).

01515050 CONE-SHAPED RING NUTS W/LONG THREADED NECK

Cone-shaped ring nuts with MA14 long threaded neck for use on grinders (holding flexible and semi-rigid carbide discs).

01515075 FLANGES FOR FLAP DISCS

Flanges with 14 mm bore for use on grinders (for flap wheels).

01505038 CONVEX RUBBER BACK-UP SUPPORTS WITH VELCRO

Convex rubber back-up supports with QRS Velcro backing, available in 100 mm diameter, with MA14 thread, designed to hold Velcro-backed convex flexible diamond discs.

01505035 RUBBER BACK-UP SUPPORTS WITH VELCRO

Rubber back-up supports with QRS Velcro backing, available in a variety of diameters, with MA14 thread, designed to hold Velcro-backed flexible diamond discs and silicon carbide discs.

01505001 FOAM BACK-UP SUPPORTS WITH VELCRO

Foam + QRS Velcro back-up supports available in a variety of diameters, with MA14 thread, designed to hold Velcro-backed flexible diamond discs and silicon carbide discs.

01505049 RIGID ALUMINIUM BACK-UP SUPPORTS WITH VELCRO

Aluminium back-up supports with QRS Velcro backing, available in 100 mm diameter with MA14 thread, designed to hold Velcro-backed flexible diamond discs.

BRUSHES

FOR HONING AND POLISHING MARBLE, GRANITE AND QUARTZ AGGLOMERATES



02001001



02010005



02005001



02015003



00137020



02020125

02001001 GOLDEN STEEL WIRE FRANKFURT BRUSHES - M

Frankfurt brushes with twisted golden steel wire filaments, available in plain or resin-coated style, suited for removing earth residues from natural marble, stone and onyx and thus prepare the surface for an antique, brushed or satin finish.

02005001 SILICON CARBIDE FRANKFURT BRUSHES - M

Silicon carbide wire Frankfurt brushes available plain or resin-coated.
Grit sizes 24 - 36 - 46 - 60 - 80 - 120 - 180 - 240 - 320 - 500 - 800 - 1000.

02010005 FRANKFURT BRUSHES WITH STEEL AND SILICON CARBIDE FILAMENTS - M

Resin-coated Frankfurt brushes with mixed steel and silicon carbide filaments. The advantage offered by these brushes is that they will remove earth residues or leftover sharp edges while creating a brushed finish at the same time. Grit size 46.

02015003 ADRIAFLEX DIAMOND FRANKFURT BRUSHES - M

Adriaflex resin-coated Frankfurt brushes with diamond wire filaments, ideal for creating a "leather or silk texture" finishing.
Grit sizes 24 - 36 - 46 - 60 - 80 - 120 - 180 - 220 - 240 - 280 - 320 - 500 - 600 - 800 - 1000 - 1800.

02020125 FRANKFURT GOMMAFLEX BRUSHES - M

Frankfurt Gommaflex brushes to enhance and give uniformity on the surfaces.
Grit sizes 60 - 80 - 120 - 220 - 320 - 400 - 600 - 800 - 1200.

00137020 ADRIALAP DIAMOND FRANKFURT BRICKS - M

Adrialap diamond Frankfurt bricks are just perfect to bring out the colour of a stone surface previously brushed with silicon carbide or Adriaflex diamond brushes. Grit sizes 120 - 180 - 220 - 320 - 400



02025011



02030000



02030100



02040005



02050005



02045125

02025011 TANGENTIAL STEEL BRUSHES MM 140 - G

Tangential steel brushes, 140 mm, with twisted golden steel wire filaments, either plain or resin-coated, designed to remove the softest or earth residue parts from granite, in order to improve the adhesion of epoxy systems during resin coating or consolidation processes.

02030000 SILICON CARBIDE TANGENTIAL BRUSHES MM 140 - G/AQ

Silicon carbide tangential brushes mm 140 available plain or resin-coated. Grit sizes 24 - 36 - 46 - 60 - 80 - 120 - 180 - 240 - 320 - 500 - 800 - 1000.

02030100 SILICON CARBIDE TANGENTIAL BRUSHES MM 140 HIGH DENSITY - G

Silicon carbide tangential brushes 140 mm high density silicon carbide brushes. Grit sizes 24 - 36 - 46 - 60 - 80 - 120 - 180 - 240 - 320 - 500 - 800 - 1000.

02040005 ADRIAFLEX DIAMOND TANGENTIAL SECTOR BRUSHES MM 140 - G/AQ

Adriaflex resin-coated brushes with diamond wire filaments mm 140, ideal for creating a "leather or silk texture" finish. Grit sizes 24 - 36 - 46 - 60 - 80 - 120 - 180 - 220 - 240 - 280 - 320 - 500 - 600 - 800 - 1000 - 1800.

02050005 NYLON TANGENTIAL BRUSHES MM 140 - G

Nylon tangential brushes, 140 mm in size, designed to remove any excess chemicals used for the treatment of a granite surface (waxes, colour enhancers, etc.).

02045125 GOMMAFLEX BRUSHES MM140 -G/AQ

Gommaflex brushes mm 140 to enhance and give uniformity on the surfaces. Grit sizes 60 - 80 - 120 - 220 - 320 - 400 - 600 - 800 - 1200.

BRUSHES

FOR HONING AND POLISHING MARBLE, GRANITE AND QUARTZ AGGLOMERATES



02065025



02065035



02065015



02073203



02082253



02065005



02079003



02065050

02065025 TWISTED KNOT STEEL CUP BRUSH

Twisted knot steel cup brush with retaining ring diameter mm 95 with thread MA14

02065035 CORRUGATED STEEL CUP BRUSH

Corrugated steel cup brush diameter mm 100.

02065015 FLARED TWISTED KNOT STEEL CUP BRUSH

Flared twisted knot steel cup brush diameter mm 95 with thread MA14

02065005 MOUNTED STEEL CUP BRUSH

Corrugated steel cup brush diameter mm 65 mounted on shaft diameter mm 6.

02073203 CIRCULAR BRUSHES MM 130 WITH SILICON CARBIDE FILAMENTS AND TERZAGO FITTING - G/AQ

Circular brushes 130 mm in diameter, with silicon carbide filaments, plain or resin-coated and Terzago fitting. Grit sizes 36 - 46 - 60 - 80 - 120 - 180 - 240 - 320 - 500 - 800 - 1000.

02082253 ADRIAFLEX DIAMOND WIRE CIRCULAR BRUSHES MM 130 WITH TERZAGO FITTING - G/AQ

Adriaflex resin-coated diamond wire circular brushes, 130 mm in diameter, with Terzago fitting, designed to create a "leather or silk texture" finish. Grit sizes 36 - 46 - 60 - 80 - 120 - 180 - 220 - 240 - 280 - 320 - 500 - 600 - 800 - 1000 - 1800.

02079003 CIRCULAR BRUSHES MM 250 WITH SILICON CARBIDE FILAMENTS - M/G/AQ

Circular brushes 250 mm in diameter, with plain silicon carbide filaments, available with snail lock or QRS Velcro backing, for brushing, after flaming or sanding of the material. Grit sizes 24 - 36 - 46 - 60 - 80 - 120 - 180 - 240 - 320 - 500 - 800 - 1000.

02065050 CIRCULAR STEEL WIRE BRUSHES MM 100 - M/G

Circular steel wire brushes, 100 mm in diameter, resin coated, with snail lock and MA14 thread, for removing earth residues or for cleaning marble or granite.



02070003



02073003



02073303



00148005



02082003



02055001



02060005



02060005

02070003 SILICON-CARBIDE FILAMENTS CIRCULAR BRUSHES WITH COMBINED SNAIL LOCK AND MA14 CONNECTION - M/G/AQ

Circular brushes available in 100 mm, 130 mm and 150 mm diameter, with silicon carbide filaments, either plain or resin-coated, with combined snail lock and MA14 connection. Grit sizes 24 - 36 - 46 - 60 - 80 - 120 - 180 - 240 - 320 - 500 - 800 - 1000.

02073003 SILICON CARBIDE FILAMENTS CIRCULAR BRUSHES WITH SNAIL LOCK DESIGN - M/G/AQ

Circular brushes available in 130 mm and 150 mm diameter, with silicon carbide filaments, either plain or resin-coated, suited for brushing and satin-finishing applications. Grit sizes 36 - 46 - 60 - 80 - 120 - 180 - 240 - 320 - 500 - 800 - 1000

02073303 CIRCULAR BRUSHES MM 130 WITH SILICON CARBIDE FILAMENTS 22.2 MM HOLE - M/G/AQ

Circular plain brushes 130 mm diameter with 22.2 mm hole with silicon carbide filaments suited for brushing and satin-finishing applications. Grit sizes 24 - 36 - 46 - 60 - 80 - 120 - 180 - 240 - 320 - 500 - 800 - 1000.

02082003 ADRIAFLEX DIAMOND WIRES CIRCULAR BRUSHES WITH COMBINED SNAIL LOCK AND MA14 CONNECTION - M/G/AQ

Adriaflex diamond wire circular brushes, available in 100 mm, 130 mm and 150 mm diameter, resin coated, with combined snail lock and MA14 connection, designed to create a "leather or silk texture" finish. Grit sizes 36 - 46 - 60 - 80 - 120 - 180 - 220 - 240 - 280 - 320 - 500 - 600 - 800 - 1000 - 1800.

00148005 GOMMAFLEX CIRCULAR BRUSHES - M/G/AQ

Circular gommaflex brushes to spice up the color and even the material on polished surfaces. Grit sizes 60 - 80 - 120 - 220 - 320 - 400 - 600 - 800 - 1200.

02055001 PRISMATIC SEGMENT STEEL BRUSHES - M

Prismatic segment brushes with twisted golden steel wire filaments, either plain or resin-coated, suited for removing earth residues from natural marble, stone and onyx and thus prepare the surface for an antique, brushed or satin finish.

02060005 PRISMATIC SEGMENT SILICON CARBIDE BRUSHES - M

Prismatic segment brushes with silicon carbide filaments, either plain or resin-coated, for brushing of natural and agglomerate marble, stone and onyx. Grit sizes 36 - 46 - 60 - 80 - 120 - 180 - 240 - 320 - 500 - 800 - 1000.

SINTERED DIAMOND WIRES AND BLADES

FOR CUTTING ANY TYPE OF GRANITE, CONCRETE, BRICKS AND CLAY BRICKS



03575075



03575076



03501005



03529005



03515255

03575075 DIAMOND WIRE - G

Diamond wire available in different lengths, open or spliced (closed), with beads available in the following diameters: 6.3 mm - 7.3 mm - 8.8 mm - 10.5 mm.

03575076 DIAMOND WIRE BEADS - G

Sintered beads available in the following diameters: 6.3 mm - 7.3 mm - 8.8 mm - 10.5 mm.

03501005 SINTERED DIAMOND DISCS FOR GRANITE FOR CUTTERS AND BRIDGE SAWS -G

Available in different diameters with wide or narrow teeth and silent or plain core. The standard height of the segment is 10 mm. Upon request, it is also supplied with a 13 mm or 15 mm height.

03529005 DISC REVIVING BRICKS - M / G / AM / AQ

Blue colour to liven up all kinds of diamond discs. Perfect brown colour for sintered discs both for marble and granite.

03515255 CONDOR SINTERED DIAMOND DISCS - G/C

With flat grinding crown, they are perfect for cutting any type of granite, concrete, bricks and clay bricks. They are available in the following diameters and fittings: 105 mm: MA14 - 115 mm: H 22.2 and MA 14 - 125 mm: H 22.2 and MA 14 - 150 mm: H 22.2 and MA 14 - 180 mm: H 22.2 and MA 14 - 230 mm: H 22.2 - Flange bushing and MA 14.




03515403



03515520



03515005



03515105



03515608

03515403 BLACK SINTERED DIAMOND DISCS - G

With flat grinding crown, they are perfect for straight cutting any type of granite. They are available in the following diameters and fittings: 105 mm - 125 mm - 150 mm - 230 mm with fitting MA 14.

03515520 SUPERFAST SINTERED DIAMOND DISCS - G/P

With laser welded segments, they are ideal for straight cutting of hard granite and porphyry. They are available in the following diameters and fittings: 125 mm: MA 14 - 150 mm: MA 14 - 230 mm: H 22.2 - Flange bushing and MA 14.

03515005 SPRINTER SINTERED DIAMOND DISCS WITH DIAMOND PATTERN - G/C

With flat grinding crown, they are reinforced for a better quality with side diamond pattern for straight cutting any type of granite, concrete, bricks and clay bricks. They are available in the following diameters and fittings: 115 mm: H 22.2 and MA 14 - 125 mm: H 22.2 and MA 14 - 150 mm: H 22.2 and MA 14 - 180 mm: H 22.2 and MA 14 - 230 mm: flange bushing and MA 14 and H 22.2.

03515105 LIGHT BLUE SINTERED DIAMOND DISCS WITH DIAMOND PATTERN - G/C

With flat grinding crown, they are reinforced for a better quality with side diamond pattern for straight cutting any type of granite, concrete, bricks and clay bricks. They are available in the following diameters and fittings: 125 mm: MA 14 - 150 mm: MA 14 - 180 mm: MA 14 - 230 mm: flange bushing and MA 14.

03515608 CONCAVE SINTERED DIAMOND DISCS WITH DIAMOND PATTERN - G

Reinforced with internal and external side diamond patterns, they are perfect for cutting any type of granite. Available in the following diameters: 125 - 150 - 180 mm with H 22.2.

SINTERED AND ELECTROLYTIC DIAMOND WIRES AND BLADES FOR MARBLE




03575580



03575581



03505005



03520004



03520204



03575580 DIAMOND WIRE - M

Diamond wire available in different lengths, open or spliced (closed), with beads available in the following diameters: 6.3 mm - 7.3 mm - 8.8 mm - 10.5 mm.

03575581 DIAMOND WIRE BEADS - M

Sintered beads available in the following diameters: 6.3 mm - 7.3 mm - 8.8 mm - 10.5 mm Ø.

03505005 SINTERED DIAMOND DISCS FOR MARBLE FOR CUTTERS AND BRIDGE SAWS - M

Available in different diameters with narrow teeth and silent or plain core. The standard height of the segment is 7 mm.

03520004 SIRIO ELECTROPLATED DIAMOND DISCS FOR MARBLE - M

In segments for straight dry cutting, they come in different diameters and fittings: 115 mm: MA 14 - 125 mm: MA 14 - 150 mm: MA 14 - 230 mm: MA 14 - H 22.2 and flange bushing.

03520204 ORION ELECTROPLATED DIAMOND DISCS FOR MARBLE WITH DIAMOND PATTERN - M

In segments for dry straight cutting, they are reinforced for better quality with lateral diamond pattern. They are available in different diameters and fittings: Ø 115 - Ø 125 - Ø 150 - Ø 180 - Ø 230 mm with MA 14 and flange bushing.



03520105



03520405



03520304



03520430



03520225



03520510

03520105 VEGA ELECTROPLATED DIAMOND DISCS FOR MARBLE - M

With flat grinding crown for straight dry cutting, they come in different diameters and fittings: 115 mm: MA 14 and H 22.2 - 125 mm: MA 14 and H 22.2 - 230 mm: MA 14.

03520405 VANITY ELECTROPLATED REINFORCED DIAMOND DISCS FOR MARBLE - M

With flat grinding crown, they feature an additional side diamond pattern to optimise dry straight cutting. They are available in the following diameters and fittings: 125 - 150 - 180 - 230 mm with fitting Ma 14.

03520304 ELICA ELECTROPLATED DIAMOND DISCS FOR MARBLE WITH HELICAL DIAMOND PATTERN - M

In segments for dry straight cutting, they are reinforced for better quality with helical diamond pattern. They are available in the following diameters and fittings: 115 mm: MA 14 - 125 mm: MA 14 - 150 mm: MA 14 - 180 mm: MA 14.

03520430 DDE TRIS DIAMOND ELECTROPLATED DIAMOND DISCS FOR MARBLE WITH TOTAL REINFORCEMENT - M

With flat grinding crown for straight dry cutting, they are reinforced along the side of the whole disc for a perfect quality. They are available in the following diameters and fittings: 115 mm: MA 14 - 125 mm: MA 14 - 150 mm: MA 14 - 230 mm: flange bushing.

03520225 ELECTROPLATED DIAMOND DISCS FOR MARBLE WITH 8 LONG DIAMOND PATTERNS - M

In segments for dry straight cutting, they are laterally reinforced to increase cutting speed, especially on thick surfaces. 230 mm diameter is available with flange bushing.

03520510 ELECTROPLATED CONCAVE DIAMOND DISCS WITH DIAMOND PATTERN - M

With flat grinding crown, they are perfect for dry curved cuts. They are available in the following diameters: 125 mm and 180 mm with hole 22.2.

DRILL BITS AND DIAMOND DRILL TIPS



03560003



03565349



03565255



03565470



03565520



03555520



03565105



03540320

03560003 WATER DIAMOND DRILL BITS FOR MARBLE OR GRANITE - M/G

Water use diamond drill bits for marble or granite, available with diameter from 15 mm to 300 mm. Total length from 100 mm to 350 mm with 1/2" gas attachment.

03565349 DRY VTS BRAZED DRILL BIT FOR MARBLE AND PORCELAIN STONEWARE - M/GRES

VTS brazed drill bit for marble and porcelain stoneware with MA14 attachment available with diameter from 4 mm to 120 mm. Dry use.

03565255 DRY ELECTROLYTE DRILL BIT FOR MARBLE - M

Dry electrolyte drill bit for marble available with diameter from 15 mm to 100 mm with MA14 attachment

03565470 DRY BRAZED DRILL BIT FOR MARBLE AND PORCELAIN STONEWARE - M/GRES

Black brazed drill bit for marble and porcelain stoneware with MA14 attachment available with diameter from 5 mm to 100 mm. [Available cut 55 mm]. Dry use.

03565520 DIAMOND DRILL BIT FOR PORCELAIN STONEWARE

Diamond drill bit for porcelain stoneware with cylindrical attachment for drill. Available in the diameters: 5 - 6 - 7 - 8 - 10 - 12 - 15 - 20 - 25 mm. Dry use

03540320 STARMAX BRAZED GRINDING WHEEL - M

Starmax brazed grinding wheel - available in the diameters 20x50 - 50x50 - 75x50 with MA14 attachment. Dry use.

03555520 SINTERED DIAMOND DRILL BIT - G

Sintered diamond drill bit with cylindrical attachment, diameter 10 mm, available in the diameter 4 mm to 16 mm. Water use.

03565105 WATER DIAMOND DRILL BIT FOR MARBLE - PORCELAIN STONEWARE - M/GRES

Diamond drill bit for marble - porcelain stoneware with diameter 20 mm to diameter 120 mm with MA16 attachment. Water use. Possibility of installation on a drill spindle, hexagonal attachment with retractable centring bit.



03555005



03555050



03555505



03550015



03550006

03555005 ELECTROLYTE OR BRAZED END MILLS FOR MARBLE - M

Electrolyte or brazed end mill for marble, available in the diameters mm 10x35 - 16x50 - 18x70 - 20x100, with 1/2" gas attachment, water use.

03555050 SINTERED END MILL FOR GRANITE - G

Sintered end mill, of various hardnesses, for granite, available in the diameters 23x35 mm - 23x50 mm, with 1/2" gas attachment, water use.

03555505 RAVELLI TYPE DIAMOND DRILL BITS - G

Ravelli type diamond drill bits, diameter 20 mm, available with conical or 1/2" gas attachment, water use.

03550015 SINTERED DIAMOND BREAKING WHEEL FOR MARBLE AND GRANITE - M/G

Sintered diamond breaking wheel for marble and granite, available in the diameters 85x20 - 50x20, water use.

03550006 ELECTROLYTE STUBBING WHEEL FOR MARBLE - M

Electrolyte stubbing wheel for marble, available in the diameters 85x20 - 50x20, water use.

CONNECTIONS AND DIAMOND DRILL BITS



03570024 ELECTROLYTE HEAD FOR MARBLE

Electrolyte head for marble, available in various shapes and diameters with thread M10 - M12 - M14, water use.

03570025 SINTERED DIAMOND HEAD FOR GRANITE

Sintered diamond head for granite, available in the diameters 20x20 mm - 20x12 mm with M12 thread, water use.

03570027 ADAPTER FOR INTERCHANGEABLE HEADS

Adaptor for interchangeable heads, available with 1/2" male gas attachment and with female thread M10 - M12 - M14 and in various lengths.

03570090 EXTENSION FOR DRILL BITS

Extension for drill bits, available with attachment 1/2" male gas attachment - 1/2" female gas attachment. Length 100 mm and 50 mm.

03570016 1/2" GAS ATTACHMENT FOR MILLING CUTTERS AND DIAMOND DRILL BITS

1/2" gas attachment for milling cutters and diamond drill bits with inserts of 6 - 8 - 10 mm

03570060 SPARE PART PINCER FOR 1/2" GAS ATTACHMENT

Spare part pincer for 1/2" gas attachment available in the diameters of 6 - 8 - 10 mm

03570029 1/2" GAS ADAPTER FOR STUBBING WHEEL

1/2" gas adapter for stubbing wheel, diameter 50 mm, 2 or 3 drill bits, length 100 mm



03570012



03570008



03570007



03570020



03570030



03570033



03570042



03570005



03570072



03570052



03570022

03570012 CYLINDRICAL ATTACHMENT FOR DRILL BIT

Hexagonal cylindrical attachment for drill bit with MA14 thread.

03570008 STEEL ATTACHMENT

Steel attachment with 1/2" male gas reduction - MA16 male.

03570007 STEEL ATTACHMENT

Steel attachment with 1/2" male gas reduction - MA14 male.

03570020 ATTACHMENT FOR DIAMOND DRILL BITS

MA14 female attachment for water diamond drill bits with 10 mm stem.

03570030 SPINDLE FOR TOOLS WITH DOUBLE ATTACHMENT

Spindle for tools with double attachment: 1/2" female gas and cylindrical.

03570033 SPINDLE FOR TOOLS WITH DOUBLE ATTACHMENT

Spindle for tools with double attachment: 1/2" gas - MA14 female female.

03570042 SPINDLE FOR CLAMP CONE TOOLS

Spindle for clamp cone tools 1 - 2 - 3 - 4, 1/2" gas female attachment.

03570005 CYLINDRICAL ATTACHMENT

Cylindrical attachment with 1/2" female gas reduction.

03570072 STEEL ADAPTER

Steel adapter female 1/2" gas - MA14.

03570052 SPINDLE FOR DRILL BITS MARBLE AND STONEWARE

Spindle for drill bits, marble and stoneware, MA16, hexagonal attachment with retractable centring bit.

03570022 ATTACHMENT FOR DIAMOND DRILL BITS

1/2" gas male attachment for water diamond drill bits, stem 10 mm

BITS AND TOOLS WITH HARD METAL CUTTING EDGES



04005002



04005102



04005702




04005903



04005402



04015003



04015103



04020003



04020203



04025003



04030003



04030103

04005002 WIDEA DRILL BITS FOR PERCUSSION DRILL FOR GRANITE

Widea drill bits for percussion drill for granite (gold color) available from Ø 2.5 mm to Ø 30 mm.

04005102 WIDEA DRILL BITS FOR ROTATING DRILL FOR GRANITE

Widea drill bits for rotary drill for granite (blue color) available from Ø 2.5 mm to Ø 30 mm.

04005702 WIDEA SDS PLUS DRILL BITS FOR MARBLE AND GRANITE

Widea SDS Plus drill bits for marble and granite from Ø 4 to Ø 30 mm with different lengths from 110 to 45 mm.

04005903 BITS FOR SCISSOR LIFT

Tips for scissor lift type G (granite) and type M (marble).

04005402 BITS FOR ROTATING DRILL FOR MARBLE

Chisels for rotating drill for marble (red color) available from Ø 2.5 mm to Ø 30 mm.

04015003 CHAMFERING FIRMER CHISELS FOR MARBLE AND GRANITE

Chamfering firmer chisels for marble and granite with pyramidal tip from Ø 4 mm to Ø 12 mm.

04015103 CHAMFERING FIRMER CHISELS FOR MARBLE AND GRANITE FOR PNEUMATIC DRILL

Chamfering firmer chisels for marble and granite for pneumatic hammer with cylindrical fitting Ø 12.5 mm Available from Ø 4 mm up to Ø 10 mm.

04020003 CHISELS FOR MARBLE AND GRANITE BY HAND

Chisels for marble and granite by hand from 3 mm to 30 mm.

04020203 CHISELS FOR MARBLE AND GRANITE FOR PNEUMATIC HAMMER Ø 7

Chisels for marble and granite for pneumatic hammer with reduced cylindrical fitting Ø 7 mm Available from 3 mm up to 12 mm.

04020303 CHISELS FOR MARBLE AND GRANITE FOR PNEUMATIC HAMMER Ø 12,5

Chisels for marble and granite for pneumatic hammer with cylindrical fitting 12,5 mm Available from 4 mm up to 30 mm.

04025003 HAND TOPPING BITS FOR MARBLE AND GRANITE

Hand topping bits for marble and granite from Ø 20 mm to Ø 50 mm.

04030003 TOOTHED CHISEL FOR MARBLE AND GRANITE FOR PNEUMATIC HAMMER Ø 7

Tooth chisel for pneumatic hammer for marble and granite with reduced fitting from 7 mm, available in one size in 2-3-4-5-6 teeth.

04030103 TOOTHED CHISEL FOR MARBLE AND GRANITE FOR PNEUMATIC HAMMER Ø 12,5

Tooth chisel for pneumatic hammer for marble and granite with cylindrical fitting 12,5 mm, available from 10 to 30 mm with 2-3-4-5-6 teeth.



04035003



04035203



04045010



04045110



04045155




04045210



04045250



04045310



04045403



04505710



04510030



04510036



04510032

04035003 SINGLE-PIECE SQUARE BUSH HAMMERS FOR MARBLE AND GRANITE FOR PNEUMATIC HAMMER

Square bush hammers for pneumatic hammer for marble and granite with cylindrical fitting Ø 12,5 mm, from 10x10 mm to 30x30 mm. From 4 to 25 teeth with long or short shank.

04035203 CYLINDRICAL BUSH HAMMERS FOR MARBLE AND GRANITE FOR PNEUMATIC HAMMER

Cylindrical bush hammers for pneumatic hammer for marble and granite with cylindrical fitting Ø 12.5 mm Available in various diameters from 4 to 25 teeth with short and long shank.

04045010 STEEL BUSH HAMMERS FOR MARBLE FOR PNEUMATIC HAMMER

Steel bush hammers for pneumatic hammer for marble with cylindrical fitting Ø 12.5 mm available in rectangular shape mm 25x15.

04045110 STEEL CHISELS FOR MARBLE FOR PNEUMATIC HAMMER

Steel chisels for pneumatic hammers for marble 20 mm with cylindrical fitting Ø 12.5 mm.

04045155 STEEL HAND CHISELS FOR MARBLE

Steel hand chisels for marble 20 mm.

04045210 STEEL CHAMFERING FIRMER CHISELS FOR MARBLE FOR PNEUMATIC HAMMER

Steel chamfering firmer chisels for pneumatic hammer for marble with connection Ø 12.5 mm.

04045250 STEEL HAND CHAMPERING FIRMER CHISELS FOR MARBLE

Steel chamfering firmer chisels for marble.

04045310 STEEL HAND SCRAPERS FOR MARBLE

Steel hand scrapers for marble with lengths mm 150-180-250-300-350.

04045403 DOUBLE HEADED BUSH HAMMER FOR MARBLE AND GRANITE

Double-headed bush hammer with steel plugs mm 35x35 for marble and granite available in various grits.

04505710 HAMMERS

Hammers available in E-A-V-U-T-S types.

04510030 SPECIAL OIL

Special oil designed for pneumatic systems.

04510036 THREAD

Threaded fitting for hammers.

04510032 BRASS FAUCET

Brass tap with ribbing slots for hammers.

SANDING, SCRATCHING FOR MARBLE AND GRANITE

SANDING



04050551



04050983

04050551 **SANDING PLATE**

Sanding plate for the implementation of the polished edge. Available in diameter Ø 300 - Ø 450 and Ø 600 (other sizes also upon request). Possibility to change the type of process highlighting or decreasing sanding possibility.


04050983 **FRANKROLL ROLLER**

Frankroll roller for marble and granite on automatic machines with the possibility to perform different types of working: sanding (see photo), bush-hammering and trimming, changing the roller in the sector.

SCRATCHING



04050821



04050575



04050803



04050858



04050859

04050821 **SCRATCHING ROLLER FOR HAND GRINDER**

Scratching roller for hand grinder for marble available in 3 different finishes: large - medium - fine in the following diameter: mm 140x115.

04050803 **SCRATCHING ROLLER FOR HAND GRINDER FOR MARBLE**

Scratching roller for hand grinder for marble available in 3 different finishes: large - medium - fine in the following diameter: mm 80x50 with MA14 thread.

04050858 **SCRATCHING ROLLER FOR FLEXIBLE SHAFT MACHINE**

Scratching roller for flexible shaft machine for marble with triangular inserts, available in: irregular scratching with pitch 2.5 or 5 mm Roller diameter mm 115x105.

04050575 **SHORT FREE TOOLS DRUM FOR GRANITE**

Scratching roller for granite on swinging tools on manual grinder for non-slip strips on granite, width 8 or 15 cm.

04050859 **SCRATCHING ROLLER FOR HAND GRINDER FOR GRANITE**

Scratching roller for hand grinder for granite and quartz conglomerate in diameter mm 115x105 with the possibility to change the width of the scratching from 2.5 to 5 mm (or multiples of 2.5 mm).



04050676

04050676 ROTARY BUSH HAMMERING WITH GRINDER

Rotary bush hammering with grinder for marble and granite (changing the rollers) with the possibility to make non-slip strips from 3 cm to 15 cm. Possibility to vary the type of bush hammering: large, medium and fine



04050873



04050872



04050850



03515270 + 04050783

04050873 SCRATCHING ROLLER FOR BRIDGE SAWS

Scratching rollers for bridge saw for granite or quartz conglomerate with 300 mm diameter with variable widths from 100 or 200 mm with the possibility to change the width of the scratch from 2.5 to 5 mm (or multiples of 2.5 mm) with 50 - 60 mm entry hole (or upon request).

04050872 SCRATCHING ROLLER FOR BRIDGE SAWS

Scratching roller for bridge saw for marble with 300 mm diameter with variable widths from 100 or 200 mm with the possibility to change the width of the scratch from 2.5 to 5 mm (or multiples of 2.5 mm) with 50-60 mm entry hole (or upon request).

04050850 SCRATCHING ROLLER FOR GRINDER

Scratching roller for grinder for marble with triangular inserts, available in: irregular scratching with pitch 2.5 or 5 mm Roller diameter mm 80x115. Assembly possible even on hand grinder.

03515270 CUTTING DISCS KIT

04050783 Kit 10 cutting discs for implementation of anti-slip features on marble or granite (replacing the discs). Possibility to vary the distance of the incision with suitable spacers adjusting the cutting depth. To be mounted on special manual grinders.

ROTARY TRIMMING AND BUSH-HAMMERING FOR MARBLE AND GRANITE

ROTARY TRIMMING



04050563


04050563 ROTARY TRIMMING PLATE FOR MARBLE

Rotary trimming plate for marble for automatic machines available in diameters: 280 - 450 - 600 mm (other diameters upon request). Possibility to modify the working depth.

BUSH HAMMERING



04050641



04050503



04050029

04050641 PLATE FOR BUSH HAMMERING FOR AUTOMATIC MACHINES FOR GRANITE

Bush hammering plate for automatic machines for granite, available in diameters 300 - 450 and 600 mm (other sizes on request). Possibility to change the type of work highlighting or reducing the bush hammering according to the number of the tips.

04050503 "VARIA" PLATE FOR BUSH HAMMERING FOR AUTOMATIC MACHINES FOR MARBLE

Bush hammering plate for automatic machines for marble, available in diameters 300 - 450 and 600 mm (other sizes on request). Possibility to change the type of work by changing the number of tips of the roller (from 4 to 18 tips).

04050029 PLATE FOR BUSH HAMMERING FOR AUTOMATIC MACHINES FOR MARBLE

Bush hammering plate for automatic machines for marble, available in diameters 100 and 150 mm. Possibility to vary the type of work highlighting or reducing the bush hammering according to the number of the heads and bits.

BUSH-HAMMERING AND FLAMING FOR MARBLE AND GRANITE



04050846

04050846 ROLLER FOR HAND GRINDER

Roller for hand grinder for marble available in 105 mm diameter with MA14 hole.



04050109



04050542 + 04050530 + 04050536



04050668



04055006

04050109 WIDEA MICRO-BUSH HAMMERING SPARE HEAD FOR HAND-GRINDER FOR MARBLE AND GRANITE

Widea micro-bush hammering spare head for hand-grinder for marble and granite (changing the rollers) with the possibility to make non-slip strips from 3 cm to 15 cm. Possibility to vary the type of bush hammering: large, medium and fine

04050542 ROTARY BUSH HAMMER SATELLITES FOR HAND-GRINDER FOR MARBLE AND GRANITE

04050530
04050536 Rotary bush hammer satellites for non slip strips, rounded edges and surfaces, with different sizes.

04050668 SPARE HEADS FOR SATELLITES FOR MARBLE AND GRANITE

Bush hammer and sanding spare heads for non slips and surface from 3 to 11 cm.

04055006 FLAMING KIT

Flaming kits with 50 - 100 - 150 mm combs.

TWO-COMPONENT POLYESTER MASTICS FOR BONDING



03001001



03010001



03001105



03010065

03001001 COLOURED LIQUID POLYESTER MASTIC FOR GLUING APPLICATIONS - M

Bi-component fast setting mastics for marble, stone and onyx in various colours (straw yellow, dark straw yellow, white, black, red) and packs of l 1 - l 4 - l 17.

03010001 COLOURED SOLID POLYESTER MASTICS FOR GLUING APPLICATIONS - M

Bi-component fast setting mastics for marble, stone and onyx in various colours (straw yellow, dark straw yellow, white, black, red) and packs of l 0,750 - l 1 - l 4 - l 17.

03001105 TRANSPARENT LIQUID POLYESTER MASTICS FOR GLUING APPLICATIONS - M

Bi-component fast setting mastics for marble, stone and onyx available in packs of l 1 - l 4 - l 17.

03010065 TRANSPARENT SOLID POLYESTER MASTICS FOR GLUING APPLICATIONS - M

Bi-component fast setting mastics for marble, stone and onyx available in packs of l 0,750 - l 1 - l 4 - l 17.



03001160



03010100



03010201



03040001



03065001



03070001

03001160 HIGH TRANSPARENT (WL) LIQUID POLYESTER MASTICS FOR GLUING APPLICATIONS - M

Bi-component fast setting mastics available in packs of l 1 - l 4 - l 17 - l 200. They are ideal for marble and light coloured onyx.

03010100 HIGH TRANSPARENT (WS) SOLID POLYESTER MASTICS FOR GLUING APPLICATIONS - M

Bi-component fast setting mastics available in packs of l 1 - l 4 - l 17. They are ideal for marble and light coloured onyx.

03010201 COLOURED SOLID POLYESTER MASTICS FOR QUARTZ AGGLOMERATES - M

Bi-component fast setting mastics available in packs of l 1 - l 4.

03040001 PASTE AND LIQUID HARDENERS FOR POLYESTER MASTICS - M/AQ

Catalyst pastes (benzoyl peroxide) available in different packages: gr 35 - ml 180 - gr 500 - kg 5. Liquid catalysts (MEK) available in: ml 25 - kg 1 - kg 5.

03065001 COLOURING PASTES IN TUBES FOR POLYESTER MASTICS

Coloring pastes in tubes for polyester mastics available in the following colours: white, black, red, green, brown, blue and yellow.

03070001 OXIDES AND COLOURING POWDERS

Oxides and colouring powders 1 kg - 5 kg - 25 kg. Colors available: white, black, red, green, brown, blue and yellow.

BI-COMPONENT POLYESTER MASTICS WITH "FAST" CATALISYS FOR PLASTERING



03025001



03030001



08020150

03025001 FAST COLOURED LIQUID POLYESTER MASTICS - M/AM

"Fast" liquid bi-component polyester based mastics used for filling natural and agglomerate marble, stone and onyx surfaces. Available in different colours (Botticino - dark Botticino - white - red - black) and packagings: l 4 - l 17 - l 180.

03030001 FAST SEMI SOLID COLOURED POLYESTER MASTICS - M/AM

"Fast" semi solid bi-component polyester based mastics used for filling natural and agglomerate marble, stone and onyx surfaces. Available in different colours (Botticino - dark Botticino - travertine - white - red - black) and packagings: l 4 - l 17 - l 120.

08020150 CONSOLIDATING RESIN WATER BASE FOR TRAVERTINE

Consolidating resin for cementitious grouting for travertine. Available in packs of kg 5 - kg 25.



03035025



03035050



03535001



03035040



05045055



05045005



05045105

03035025 ARTIC UV LIQUID TRANSPARENT POLYESTER MASTICS - M/AM

"Artic" one-component transparent liquid polyester mastics, UV-cured (UV catalysis oven), for in-line filling of natural and agglomerate marble, stone and onyx surfaces. Available in the following packaging: kg 18 - kg 180.

03035050 ARTIC UV SOLID TRANSPARENT POLYESTER MASTICS - M/AM

"Artic" one-component transparent solid polyester mastics, UV-cured (UV catalysis oven), for in-line filling of natural and agglomerate marble, stone and onyx surfaces. Available in different formulations and bulk density: 18 kg.

03535001 ARTIC UV LIQUID COLOURED POLYESTER MASTICS - M/AM

"Artic" one-component polyester mastics, UV-cured (UV catalysis oven), for in-line filling of natural and agglomerate marble, stone and onyx surfaces. Available in beige colour in the following packs: 25 kg - 250 kg.

03035040 ARTIC UV SOLID COLOURED POLYESTER MASTICS - M/AM

"Artic" one-component polyester mastics, UV-cured (UV catalysis oven), for in-line filling of natural and agglomerate marble, stone and onyx surfaces. Available in beige colour in packaging: 25 kg.

05045055 SCRAPER WITH PLASTIC HANDLE

Scraper with plastic handle 50 mm to 120 mm.

05045005 SCRAPER WITH WOODEN HANDLE

Scraper with wooden handle 50 mm to 120 mm.

05045105 ANTI-SLIP RUBBER HANDLE SCRAPER

Scraper with non-slip rubber handle from 50 mm to 120 mm.

TWO-COMPONENT EPOXY MASTICS FOR BONDING



03045006



03045010



03045007



03045004

03045006 TRANSPARENT SOLID SUPERGEL EPOXY MASTIC FOR GLUING APPLICATIONS - G/M/AM/AQ

SUPERGEL epoxy based transparent solid bi-component mastics (2:1 mix ratio) available in 1.5 kg pack, used for gluing granite, marble, stone and onyx.

03045010 COLOURED SOLID EPOXY MASTICS FOR GLUING APPLICATIONS - G/M/AM/AQ

Epoxy based solid coloured bi-component mastics (2:1 or 1:1 mix ratio) available in 1.5 kg and 3 kg packs, used for gluing granite, marble, stone and onyx.

03045007 COLOURED LIQUID EPOXY MASTICS FOR GLUING APPLICATIONS - G/M/AM/AQ

Epoxy based coloured liquid bi-component mastics (2:1 mix ratio) available in 1.5 kg pack, used for gluing granite, marble, stone and onyx.

03045004 TRANSPARENT LIQUID EPOXY MASTICS FOR GLUING APPLICATIONS - G/M/AM/AQ

Epoxy based transparent liquid bi-component mastics (2:1 mix ratio) available in 1.5 kg pack, used for gluing granite, marble, stone and onyx.



03045020



03020094



03020075



03065085

03045020 EPOXY BASED SEMI SOLID MASTICS IN CARTRIDGE-G/M/AM/AQ

Two-component epoxy based semisolid mastics in cartridge: available in 50 ml cartridge for gluing granite, marble, stone and onyx.

03020094 EVOXY SOLID COLOURED MASTICS - G/M/AM/AQ

Evoxy coloured solid mastics: bi-component fast setting high adhesion (for gluing granite, marble, stone and onyx). Available in packs of l 0,750 - l 1 - l 4.

03020075 EVOXY SOLID TRANSPARENT MASTICS - G/M/AM/AQ

Evoxy solid transparent mastics: bi-component fast setting high adhesion (for gluing granite, marble, stone and onyx). Available in packs of l 0,750 - l 1 - l 4.

03065085 COLOURING PASTES IN TUBES FOR EPOXY MASTICS

Colouring pastes in tubes for epoxy mastics available in different colors.

EPOXY SYSTEMS

FOR NET REINFORCING AND RESIN TREATING FOR MARBLE, ONYX AND GRANITE



03055195



03055511



03055001

03055195 EPOXY SYSTEM FOR NET REINFORCING - M/G

Systems with ADRIAPOX epoxy based resin and hardener products in different percentages of use: 25% - 30% - 35% - 37% - 50%. Transparent or coloured (beige) products are available in different sizes: kg 1 - kg 5 - kg 20 - kg 200 - kg 1000. They are used on marble, stone, onyx and granite.

03055511 EPOXY SYSTEM, WHICH DOES NOT ALTER THE COLOUR OF THE MATERIAL-M/G

Systems with ADRIAPOX epoxy based resin and hardener products in different percentages of use: 25% - 30%. They are transparent products with high reactivity and medium viscosity. They come in different packages: kg 1 - kg 5 - kg 20 - kg 200 - kg 1000. They are used on marble, stone, onyx and granite.

03055001 EPOXY SYSTEMS FOR CONSOLIDATION AND NET REINFORCING - M/G

Systems with ADRIAPOX epoxy based resin and hardener products in different percentages of use: 25% - 30% - 33% - 35% - 37% - 50%. They are transparent products available in many application possibilities for optimising machining quality, type of system and cost of resin coating. They can be used for resin coating as well. They are available in the following packaging: kg 1 - kg 5 - kg 20 - kg 200 - kg 1000.



03055279



03055016



03060006



05015205

03055279 ADRIAPOX GEL EPOXY SYSTEMS - M/G

ADRIAPOX GEL transparent high viscosity epoxy systems to restore large holes on marble and granite. It is made up of resin ADRIAPOX and catalysts in various percentages of use: 25% - 30%. They are available in the following packaging: kg 20 - kg 100.

03055016 BLACK EPOXY SYSTEM - G

Black colouring epoxy systems: bi-component or three-component epoxy systems (with PRIMER) to darken black granite. They are available in the following packaging: kg 1 - kg 5 - kg 20 - kg 200 - kg 1000.


03060006 WET EPOXY SYSTEMS - M/G

ADRIAPOX WET epoxy systems and hardener products in different percentages of use: 30% - 40%. They are designed for use on slightly moist surfaces where traditional systems suffer from adhesion problems. They are available in the following packaging: kg 1 - kg 5 - kg 20 - kg 200 - kg 1000.


05015205 GRADUATED JUGS

Graduated jugs with spout for measurement and mixing of resins and hardeners, available in l 1 - l 2 - l 3 - l 5.

REINFORCEMENT AND CONSOLIDATION SYSTEMS




03075288



03075234



03080000



03080120



03075510



03075600

03075288 FIBER GLASS NET 72 GR/SQM - M

Fiber glass net for slab reinforcement with grammage 72 g - 2 thread/sqm for universal use. Available in a minimum of 70 cm and a maximum of 200 cm.

03075234 FIBER GLASS NET 65 GR/SQM - M/G

Fiber glass net for slab reinforcement with grammage 65 g/sqm for universal use. Available in different heights in a minimum of 70 cm and a maximum of 200 cm.

03080000 FIBERGLASS WOVEN ROVING 500 GR/SMQ - M/G

Fiberglass woven roving for the reinforcement and consolidation of natural marble (including marble blocks). It is also suited for bonding slabs together. Available in a variety of heights, from minimum 120 cm up to maximum 220 cm.

03080120 BONDED FIBERGLASS WOVEN ROVING 300/800 GR/SMQ - M

Fiberglass woven roving stitch-bonded to a MAT with 5 cm chopped strands. Thanks to its increased thickness, it provides excellent holding strength as block reinforcement. Available in 120 mm height only.

03075510 GLASS FABRIC FOR SLAB BACK SUPPORT

Containing glass fabric for slab back support for rein coating and grouting applications on flat surfaces, recommended to avoid the leak of resin and mastics.

03075600 GLASS AND NET COMBINED FABRIC

Glass and net combined fabric for a double function of containing slab back during resin coating, grouting applications and reinforcement of the material itself.



03050105



03050001



03050145



08070031

03050105 EPOXY MASTIC TIX 2000 FOR IMPREGNATING WOVEN ROVINGS

Viscous system formulated for impregnating the reinforcement woven roving for use on stone blocks, available in a variety of packages. Part A (TIX 2000): kg 20 - kg 180. Part B (BLOCK): 20 kg. Ideal for marble, onyx and granite.

03050001 CONSOLIDANT EPOXY MASTIC

Consolidant epoxy mastic: to be used as an additional strengthening agent, after the first stage, TIX 2000 + hardener BLOCK. Available in different packages. Part A: 18 kg. Part B: 20 kg.

03050145 IMPREGNATING ROLLER FOR IMPREGNATING THE WOVEN ROVING

Roller, essential to remove the air bubbles, generated during the mixing process of the epoxy system to improve the mechanical properties of polymeric reinforcement.

08070031 SMOOTHING TROWEL

Smoothing trowel 28x12 available with various types of handle and/or American model.

HOT POUR FILLERS AND ABRASIVE PASTES



02530035




02530038



02530040



02530001



02530041



02530020

02530035 PUTTY FOR MARBLE

Putty for marble available in various colors.

02530038 PLASTERING TOOL

Plastering tool.

02530040 ELECTRIC PLASTERER

Electric plasterer

02530041 RESISTANCE FOR ELECTRIC PLASTERER

Resistance for electric plasterer.

02530001 ABRASIVE PASTE - M

White or other colours polishing paste in bars for polishing of natural and agglomerate marble, stone and onyx to be applied with merino wool felt wheels or cloth discs.

02530020 ABRASIVE PASTE - G

Grey polishing paste in bars for polishing of granite and agglomerate quartz to be applied with merino wool felt wheels or cloth discs.



08050950

08050950 KEDISIL N700

Neutral curing low module professional silicone. Formulated for the implementation of expansion joints and perimeter joints, and applications on marble, granite, natural stone in general, ceramics, concrete, wood, metals, glass, fire-resistant materials, hard plastics (PC, PMMA). Suitable for exterior and interior applications. ATTENTION: for very porous stones, contact the technical service of the company before commencing the work.

CODE	COLOUR	PACK/WEIGHT	PALLET
08050910	100 - Bianco	Cartuccia 310 ml	80 Scatole x 24 pz.
08050935	202 - Manhattan	Cartuccia 310 ml	80 Scatole x 24 pz.
08050920	203 - Grey	Cartuccia 310 ml	80 Scatole x 24 pz.
08050930	205 - Charcoal grey	Cartuccia 310 ml	80 Scatole x 24 pz.
08050905	000 - Trasparent	Cartuccia 310 ml	80 Scatole x 24 pz.
08050915	101 - Jasmin	Cartuccia 310 ml	80 Scatole x 24 pz.
08050925	300 - Beige	Cartuccia 310 ml	80 Scatole x 24 pz.
08050940	404 - Dark	Cartuccia 310 ml	80 Scatole x 24 pz.
08050945	301 - Caramel	Cartuccia 310 ml	80 Scatole x 24 pz.

COSUMPTION CHART	
Joint section	Meters/cartridge
5 x 5 mm	12
10 x 5 mm	6
10 x 10 mm	3
15 x 10 mm	2
20 x 10 mm	1,5
25 x 10 mm	1,25
30 x 10 mm	0,7
40 x 10 mm	0,4

COLOURS AVAILABLE:




10 - 20 min.




12 months in a dry place and in the packaging provided by us, away from freezing and high temperatures.

PROTECTIVE PRODUCTS AND COLOUR ENHANCERS FOR THE TREATMENT OF SURFACES




02515030




02515005



02520005



02515060



02515120



02515100

02515030 DEFENDER

Water and oil repellent stain-proof impregnating protector for marble and granite with natural effect. Particularly suited for porcelain stoneware. Solvent based formulation, suitable for indoor and outdoor applications. Suitable for use when you need a high level of protection without altering the natural colour of the stone. Available in the following packaging: 1 l - 5 l - 20 l.

02515005 PROTECTION

Water and oil repellent stain-proof impregnating protector for marble, granite, unglazed tiles with natural effect. It provides excellent protection even after a few hours. This product may result in a slight colour enhancing effect when applied to highly absorbing materials. Solvent based formulation, recommended for interior use. Available in the following packaging: 1 l - 5 l - 20 l.

02520005 GUARDIAN

Impregnating stain protection water-oil repellent with natural effect for marble, granite, cementitious substrate, cotto, exposed bricks. Water-based formula, low odour emission, for indoor and outdoor applications. It does not contain synthetic solvents or other elements harmful to the environment and has no hazardous labelling. Available in the following packaging: 1 l - 5 l - 20 l.

02515060 SAFESTONE

Impregnating stain protection water-oil repellent agent with natural effect ideal for very absorbent materials such as limestone, natural stone, terracotta, exposed bricks, agglomerates and cementitious elements. Solvent based. Available in the following packaging: 1 l - 5 l - 20 l.

02515120 EPOQUE

Colour enhancing, water and oil repellent impregnating protector for absorbent marble, granite and agglomerates. Ideal for sandblasted, brushed, bush-hammered and flamed surfaces. Also suitable for shiny surfaces. Solvent based formulation designed specifically for exterior use, thanks to high colour fastness to light and excellent resistance to atmospheric agents. This product needs to be applied in several coats, depending on absorption of the treated materials. Available in the following packaging: 1 l - 5 l - 20 l.

02515100 RENOVA


Colour enhancing, water and oil repellent impregnating protector for marble and granite, ideal for sanded, brushed, bush-hammered, flamed and antique finishes. Solvent based formulation, recommended for interior use. Available in the following packaging: 1 l - 5 l - 20 l.



02515175



02515117



02515140



02515160



02510015



02515173

02515175 ULTRACOVER

Colour enhancing impregnating protector formulated specifically for granite. Ideal to cover small veins and micro-fissures. Once applied, the product must remain on the granite for about 12 hours. Then, it is removed with brushes. Available in packs of 1 l - 1.5 l - 20.

02515117 SAFARI GREEN

Colour enhancing "Solvent free" impregnating protector, suitable for very absorbent materials, particularly suitable for smooth, brushed or satin finish surfaces. It can be used both outdoors and indoors. Available in packs of 1 l - 1.5 l - 20.

02515140 GENIUS

Colour enhancer for recomposed quartz materials or, in general, for low absorbing agglomerates. Available in packs of 1 l - 1.5 l - 20.

02515160 MIRAGE

Impregnating, protective and colour enhancing for highly absorbent materials or rough surfaces for indoor use. Available in packs of 1 l - 1.5 l.

02510015 KRISPAY SOLID

Solvent based wax designed to increase gloss of treated surfaces. Suitable for marble and granite. Available in packs of 1 l - 1.5 l.

02515173 SELF-POLISHING ENHANCER

Self-polishing enhancer developed specifically for granite. This product forms a very thin, highly transparent film, which enhances the natural colour of all granite surfaces, even if not perfectly honed. Pack 1 l.

PROTECTIVE PRODUCTS AND COLOUR ENHANCERS FOR BLACK GRANITE



02515190



02515212



02515201



02515204



02515225



05035242



05005070

02515190 ADRIABLACK

Adriablack: colour enhancing protector for black granite **with medium-high absorbability**. Available in packs of l 1 - l 5 - l 25.

02515212 ADRIACOVER

Adriacover: colour enhancing protector for black granite, **with medium-high compactness and low porosity**. For use on **glossy or very fine sanded surfaces**. It is a suitable product and certified for food contact. Available in packs of l 1 - l 5 - l 25.

02515201 DEEP BLACK

Deep black: colour enhancing protector for black granite **with medium-high compactness and low porosity**. For use on **glossy or very fine sanded surfaces**. It is a suitable product and certified for food contact. Available in packs of l 1 - l 5 - l 25.

02515204 DEEP BLACK 2

Deep black 2: colour enhancing protector for black granite **with high compactness**. For use on **glossy or very fine sanded surfaces**. Available in packs of l 1 - l 5 - l 25.

02515225 ACTIVE SR

Active SR: chemical solvent remover for recovering stained slabs of black Zimbabwe granite. Available in packs of kg 35

05035242 SPRAYERS FOR APPLICATION OF PRODUCTS

Sprayers for application of products available with normal seals (A) or Viton (B) l 3.

05005070 ROLLER MOHAR

Roller Mohar for product laying.

WAXES, BRUSHES AND FELTS

PROTECTIVE PRODUCTS / COLOUR ENHANCERS FOR THE TREATMENT



02510001



02503010



02505030



02503039



05515712



02503004



05515080

02501001 WAX CERA PLUS

Solvent-based, it is recommended mainly for waxing on automatic lines to increase the polishing degree of materials. Suitable for dark granite, it can be supplied in black. It is available in packs of l 5 - l 20.

02505030 COLOURING POWDERS FOR CERA PLUS WAXES

They are available in different colors in packs of 500 cc.

02503010 NYLON BRUSHES FOR WAXING MACHINES

They are designed to uniformly apply waxes and protectors on automatic machines. Available in diameter Ø 400 mm with rigid PVC or wooden backing with nylon bristles embedded in it.

02503039 TAMPICO VEGETAL FIBERS BRUSHES FOR WAXING MACHINES

Tampico vegetal fibers brushes. It is recommended on the last head of the waxing machine as the softness of the fibers allows a perfect and homogeneous application of wax and protectors.

02503004 NYLON/STEEL TAMPICO VEGETAL FIBERS BRUSHES

Nylon/steel tampico vegetal fibers brushes. They are recommended for cleaning residues after flaming.

05515712 SYNTHETIC FIBERS FELTS FOR WAXING MACHINES

They are recommended to uniformly apply waxes and protectors on an automatic machine, they are usually used on the last two heads. They are available in diameters Ø 406 mm and Ø 432 mm in different types.

05515080 SPONGE WITH VELLCRO FOR WAXING MACHINES

Synthetic fibre felts for waxing machines to uniformly apply waxes and protectors on automatic machines: they are usually used on the last two heads.

CUTTERS

MANTA ED 65 - 85 - 100 - 120 - 150



Iron base workbench; cutting head sliding on chrome and adjusted bars, manual feed by using the appropriate handle, vertical movement via the handwheel; head tilt to 45°; removable legs.

Standard equipment: 1 submersible pump; set of wrenches.

Optional: cutting diamond blade; side stop; diagonal set square; bench expander; transport wheels.

ARTICLE	MODEL	 m	 RPM	 kW - Volt	 mm	 mm	 mm	 cm	 Kg
120150ED	MANTA 65	350-25.4	2800	2.2 - 230*	650	130	110	107x66x77	90
120200ED	MANTA 85	350-25.4	2800	2.2 - 230*	850	130	110	127x66x77	105
120250ED	MANTA 100	350-25.4	2800	2.2 - 230*	1000	130	110	140x66x77	120
120300ED	MANTA 120	350-25.4	2800	2.2 - 230*	1200	130	110	160x66x77	160
120350ED	MANTA 150	350-25.4	2800	2.2 - 230*	1500	130	110	197x66x77	180

* Also available in three-phase version.

MANTA ALLUMINIUM 65 - 85 - 100 - 120



Aluminium base workbench; cutting head sliding on chrome and adjusted bars, manual feed by using appropriate handle, vertical movement via handwheel; head tilt to 45°; removable legs; stabilising bars.

Standard equipment: 1 submersible pump; 1 stop; handles and transport wheels; round set square; service keys.

Optional: cutting diamond blade; side stop; cutting marking laser; long diagonal set square; bench expander.

ARTICLE	MODEL	 m	 RPM	 kW - Volt	 mm	 mm	 mm	 cm	 Kg
120150AL	MANTA 65 ALLUMINIUM	350-25.4	2800	2.2 - 230*	650	150	110	107x66x77	61
120200AL	MANTA 85	350-25.4	2800	2.2 - 230*	850	150	110	127x66x77	66
120202AL	MANTA 85-550 ALLUMINIUM	550-30.0	1400	2.2 - 230*	695	210	200	127x66x85	75
120204AL	MANTA 85-550 ALLUMINIUM TRIF.	550-30.0	1400	3.6 - 400	695	210	200	127x66x85	76
120250AL	MANTA 100 ALLUMINIUM	350-25.4	2800	2.2 - 230*	1000	150	110	155x66x77	72
120300AL	MANTA 120 ALLUMINIUM	350-25.4	2800	2.2 - 230*	1200	150	110	171x66x77	79

* Also available in three-phase version.

MINI MANTA ALLUMINIUM



Aluminium base workbench; cutting head sliding on chrome and adjusted bars, manual feed by using appropriate handle, vertical movement via handwheel; head tilt to 45°; removable legs.

Standard equipment: 1 submersible pump; 1 surface extender in metal sheet; handles and 2 transport wheels; round set square; set of wrenches.

Optional: cutting diamond blade; side stop.

ARTICLE	MODEL	 m	 RPM	 kW - Volt	 mm	 mm	 mm	 cm	 Kg
120000AL	MINI MANTA 60 ALLUMINIUM	250-25.4	2800	1.1 - 230	600	85	55	100x47x55	32
120053AL	MINI MANTA 90 ALLUMINIUM	250-25.4	2800	1.1 - 230	900	85	55	130x47x55	35
120003AL	MINI MANTA 60/350 ALLUMINIUM	550-30.0	2800	1.6 - 230	550	110	110	100x49x55	36

MANTA LX SA

Iron painted workbench base; aluminium workbench; chrome and adjusted sliding bars cutting head; motor-driven feed and vertical movement of the manual head via handwheel; tilting head for 45° cuts; angular legs.

Standard equipment: 1 submersible pump; 1 side stop; 1 roller bench extender; set of wrenches.

Optional: cutting diamond blade; set square; additional bench extenders; laser; mechanical set square.

ARTICLE	MODEL								
		m	RPM	kW - Volt	mm	mm	mm	cm	Kg
140150	MANTA 120 LX SA	350-25.4	2800	2.2 - 230	1200	180	110	195x66x81	210
140151	MANTA 120 LX SA	450-30	2800	4 - 400	1200	180	150	195x66x81	215
140152	MANTA 120 LX SA	450-30	1400	4 - 400	1200	180	150	195x66x81	216
140160	MANTA 120 LX SA	450-30	1400	2.2 - 230	1200	180	150	195x66x81	215
140200	MANTA 150 LX SA	350-25.4	2800	2.2 - 230	1500	180	110	225x66x81	240
140201	MANTA 150 LX SA	450-30	2800	4 - 400	1500	180	150	225x66x81	245
140202	MANTA 150 LX SA	450-30	1400	4 - 400	1500	180	150	225x66x81	246
140209	MANTA 150 LX SA	450-30	1400	2.2 - 230	1500	180	150	225x66x81	245
140250	MANTA 200 LX SA	350-25.4	2800	2.2 - 230	2000	180	110	275x66x81	260
140251	MANTA 200 LX SA	450-30	2800	4 - 400	2000	180	150	275x66x81	265
140252	MANTA 200 LX SA	450-30	1400	4 - 400	2000	180	150	275x66x81	266
140253	MANTA 200 LX SA	450-30	1400	2.2	2000	180	150	275x66x81	265



05505175

CUTTER MANTA 200 - 250 - 300 ECO

Affordable, simple and solid Suitable for both small workshops and big industries. The machine comes with marine wood bench. Possibility to cut from 90 to 45 degrees for all kinds of stone material. Available in two versions: manual and automatic.

Standard equipment: 1 submersible pump for disc cooling; 1 roller side extender; 1 side stop; system for increasing cuts; service keys.

Optional: cutting disc; additional extenders; cut marking laser; mechanical set square.

ARTICLE	MODEL								
		m	RPM	kW - Volt	mm	mm	mm	cm	Kg
150552	CUTTER MANTA 200 ECO MAN.	450-30	2800	4 - 400*	2000	250	150	290x91x121	340
150553	CUTTER MANTA 200 ECO MAN.	450-30	1400	3.6 - 400*	2000	250	150	290x91x121	340
150550	CUTTER MANTA 200 ECO AUT.	450-30	2800	4 - 400*	2000	250	150	314x91x121	360
150551	CUTTER MANTA 200 ECO AUT.	450-30	1400	3.6 - 400*	2000	250	150	314x91x121	360
150602	CUTTER MANTA 250 ECO MAN.	450-30	2800	4 - 400*	2500	250	150	340x91x121	395
150603	CUTTER MANTA 250 ECO MAN.	450-30	1400	3.6 - 400*	2500	250	150	340x91x121	395
150601	CUTTER MANTA 250 ECO AUT.	450-30	2800	4 - 400*	2500	250	150	364x91x121	410
150600	CUTTER MANTA 250 ECO AUT.	450-30	1400	3.6 - 400*	2500	250	150	364x91x121	410
150652	CUTTER MANTA 300 ECO MAN.	450-30	2800	4 - 400*	3000	250	150	390x91x121	450
150653	CUTTER MANTA 300 ECO MAN.	450-30	1400	3.6 - 400*	3000	250	150	390x91x121	450
150651	CUTTER MANTA 300 ECO AUT.	450-30	2800	4 - 400*	3000	250	150	414x91x121	470
150650	CUTTER MANTA 300 ECO AUT.	450-30	1400	3.6 - 400*	3000	250	150	414x91x121	470



05505180

ACCESSORIES FOR CUTTERS



05505937

ROLLER EXTENDER

ARTICLE	USABLE ON	 Kg
17M000	Tutti i modelli	13



05505935

TABLE EXTENDER

ARTICLE	USABLE ON	 Kg
04NS000T00	MINI MANTA: extender without foot	4
17M001	All models	6
04NS000T00	All models: extender without foot	6



05505938

LASER

ARTICLE	MW	BATT
020092	1	STILO AA
020078*	1	STILO AA

* With bracket.



05505955

SIDE STOP

ARTICLE	USABLE ON	LENGTH mm
17N000	MINI MANTA	
17N000	MANTA 65 - 85 - 100	690
17N000	MANTA 120 - 150 - 200 - ECO	1200
17N000	SPECIAL	1500

PUMP


ARTICLE	RANGE LH	POWER	HZ
020022NMM	LT / H 700-750	220 / 240	50 / 60
020076NMM*	LT / H 1500-1800	220 / 240	50 / 60
020083NMM*	LT / H 700-750	220 / 240	50 / 60
020084NMM	LT / H 700-750	110 / 115	50 / 60
020492	LT / H 6000	220	50 / 60



05505913

DIAGONAL SET SQUARE FOR CONSTRUCTION

ARTICLE	USABLE ON
17M005	All models



05505925

LONG DIAGONAL SET SQUARE

ARTICLE	USABLE ON
17M004	All models



05505927

MOBILE DISCS KIT (PAIR)

ARTICLE	PIECES
17M006	2 wheels
18M008	2 wheels and handles TB BASIC



05505928

SANDERS AND POLISHERS



05510010



05510015



05510025



05510026

05510010 SANDER - POLISHER FOR MARBLE-MODEL PANDA

Technical specifications: abrasive holder disc Ø 260 mm. Tank capacity: about l 16 Single phase motor 3 HP 220V 240V 110V 50/60 Hz. Approximate weight of machine about 90 kg Dimensions cm 88x45x73.

05510015 SANDER - POLISHER FOR MARBLE - MODEL LUPESSA

Technical specifications: abrasive holder disc Ø 280 mm. Tank capacity about l 25. Single phase motor 3 HP 220 V - 240 V - 110 V 50/60HZ. Approximate machine weight 105 kg. Dimensions cm 95x51x76.

05510025 SANDER - POLISHER FOR MARBLE - MODEL GAZZELLA

Technical specifications: abrasive holder disc Ø 330 mm. Tank capacity l about 35. Three-phase electric motor 5.5 HP - 220/380 V - 50/60HZ - 240/415 V 50HZ - Built-in inverter. Approximate weight of unloaded machine about 140 kg Dimensions cm 121x60x83.

05510026 TWO-HEAD SANDER - POLISHER FOR MARBLE - MODEL GAZZELLA

This sander has been designed and built for working on large surfaces with maximum performance and, consequently, lower cost. The two plates allow the action on the floor of a double abrasive surface compared to the traditional one-head system, while still maintaining excellent handling characteristics, professional features and reliability. Technical data: three-phase motor 7.5 HP 220V 380V 240V 415V 50/60Hz. Tank capacity: l about 65 Plates: Ø 330 mm. Weight: Kg 220. Dimensions cm 118x68x88.



05510030



05510031



05510005

05510030 SANDER - POLISHER FOR GRANITE AND MARBLE - MODEL PANTERA

Technical specifications: abrasive holder disc Ø 330 mm. Planetary Ø 330 mm. Tank capacity about l 35 Three-phase electric motor 7.5 HP 220/380V - 240/415V 50/60 Hz. Weight about 245 kg Dimensions: cm125x67x87.

05510031 TWO-HEAD SANDER - POLISHER FOR GRANITE AND MARBLE - MODEL PANTERA

The double spindle generates, compared to the previous model, a doubling of the hourly yield, while maintaining its excellent handling characteristics, professional features and reliability. Technical data: three-phase motor 10 HP 220V -380V -240V 50/60 Hz. Planetary gears Ø 330 mm. Plates Ø 330 mm. Tank capacity about l 65 Weight: about Kg 310 Dimensions: cm 118x68x88.

05510005 SANDER - POLISHER FOR MARBLE - MODEL CICALA

Technical specifications: Electrically driven with single-phase motor 220V 240V 110V 50/60Hz 2 HP abrasive holder disc Ø mm 190. Tank capacity: l about 6 Weight about 40 kg Dimensions: 48x68x28.

SINGLE-BRUSH MACHINES



05515002

05515002 SINGLE-BRUSH MACHINE TOR43

TOR43 is a newly developed machine particularly suitable for heavy duty jobs. It adopts a rotary orbital motion, which boosts work yield compared to a traditional single-brushing machine.

Exploiting the high frequency oscillation principle, it achieves an excellent stability and handling capacity although having a total weight of 65 Kg (excluding accessories). When working with water TOR43 ensures considerable savings since water is constantly being held within the area of the disc thanks to the orbital motion and is not lost. Furthermore, the peculiarity of the orbital movement makes it very easy to use the TOR43 machine for any operator, reducing training time and eliminating the need for particular physical efforts. The low power consumption enables it to be used also in combination with a vacuum cleaner, both powered by the power of a standard home network.

ARTICLE	MODEL	LOTS	PIECES / PALLET
107230	TOR43		

TECHNICAL FEATURES					
Transmission	-	Diretta	Power supply	V/Hz	230/50*
Working width	cm	43	Tank	l	15
Brush Ø	cm	43	Power	W	1100
Pinch roll disc Ø	cm	43	Machine weight	Kg	65
Oscillations per minute	n.	1400	Machine dimensions (Lxhxw)	mm	700x12220x495

OPTIONAL



441250 - CABLE 15MT EU PLUG
441246 - CABLE 15MT UK PLUG



224811 - TANK (15LT)



441119 - 0,80MM PPL BRUSH



441120 - PAD HOLDER
441613 - PAD HOLDER FOR SAND PAPER



00145651

00145651 DIAMOND ADRIALUX FOR SINGLE BRUSH TOR 43

QRS (velcro) Adrialux diamond wheels available in diameters 75-100 mm for recovery of granite and marble surfaces with velcro fitting. Grits available 36 -60 120 - 220 - 320 - 400 - 800 - 1500 - 3000 - 5000.

05515005 SINGLE-BRUSH MACHINE 17" - 154 RPM

Version having 430 mm diameter with uprated engine for particularly demanding and burdensome work. Very solid induction motor for a long duration and great performance. Double protection against unintentional operation. Satellite and planetary gearboxes, assuring the best performance as to power, torque, duration and quiet operation. State-of-the-art handle, the result of a perfect combination of great strength, ergonomics, safety and innovative design.

ARTICLE	MODEL	LOTS	PIECES / PALLET
00-185EL	C 143 L 13	4 - 8 - 16	16

CARATTERISTICHE TECNICHE - C 143 L 13

Working width	mm	430	Dimensions (H x l x w)	mm	1200x542x430
Brush speed	giri/min.	154	Weight	Kg	41,5
Voltage	V	220 / 240	Cable length	m	12
Frequency	Hz	50	Dry suction socket	-	si
Brush motor power	W	1300	Noise level	dba	<54
Brush pressure	g/m ²	40,8	Transmission		Planetary gearbox
Motor transit height	mm	330			



05515005

05515790 STEEL WOOL DISC

Steel wool disc, 400 mm diameter, for the crystallisation of marble.



05515790

05515742 SYNTHETIC FIBRE FELTS

Synthetic fibre felts available in various colours, 406 mm and 432 mm diameter.

Black	deep washing or thorough wet de-waxing
Brown	deep washing or thorough dry or wet de-waxing
Green	partial wet de-waxing
Red	regular maintenance
White	dry polishing
Yellow	dry polishing



05515742

05515770 SYNTHETIC FIBRE DIAMOND FELTS

Synthetic fibre felts available in various colours, 406 mm and 432 mm diameter.

Black	deep washing or thorough wet de-waxing
Brown	deep washing or thorough dry or wet de-waxing
Green	partial wet de-waxing
Red	regular maintenance
White	dry polishing
Yellow	dry polishing



05515770

VACUUMS



05520012

SOLID - LIQUID VACUUM CLEANERS

Wheeled liquid / vacuum cleaner with large capacity. Two individually controlled motors.

ARTICLE	MODEL	LOTS	PIECES / PALLET
17753811950	98 IK	4 - 8 - 16	8

TECHNICAL FEATURES - 98 IK					
Voltage	V	220 / 240	Air flow	l/s	100
Number motors	-	2	Depression	mbar	190
Cooling	-	By pass	Sound level	dbA	65
Maximum power	W	2300	Cable length	m	10
Rated power	W	1900	Weight (without accessories)	kg	20 / 21,3
Tank capacity	l	80	Dimensions l	cm	47x47x88
Useful capacity	l	56	Dimensions CB	cm	50x50x96
Filtering surface	m ²	0,4			



05520010

SOLID - LIQUID VACUUM CLEANERS

Small, powerful, silent liquid / vacuum cleaner, easy to transport. PP tank and ABS base on 4 pivoting wheels. A pressing and continuous market demand has led us to the implementation of a range of liquid / vacuum cleaners in a material other than steel. The version with the PP tank is the result of a technological response to specific needs, of quiet operation, robustness and easy handling.

ARTICLE	MODEL	LOTS	PIECES / PALLET
00-14001321	938 I CB	4 - 8 - 16	8

TECHNICAL FEATURES - 98 IK					
Voltage	V	220 / 240	Air flow	l/s	65
Number motors	-	1	Depression	mbar	250
Cooling	-	By pass	Sound level	dbA	62
Maximum power	W	1700	Cable length	m	10
Rated power	W	1500	Weight (without accessories)	kg	23 / 24
Tank capacity	l	40	Dimensions l	cm	48x48x88
Useful capacity	l	30	Dimensions CB	cm	48x56x92
Filtering surface	m ²	0,5			



05520008

SOLID - LIQUID VACUUM CLEANERS

Small, powerful, silent liquid / vacuum cleaner, easy to transport. PP tank and ABS base on 4 pivoting wheels. A pressing and continuous market demand has led us to the implementation of a range of liquid / vacuum cleaners in an material other than steel. The version with the PP tank is the result of a technological response to specific needs, of quiet operation, robustness and easy handling.

ARTICLE	MODEL	LOTS	PIECES / PALLET
00-13800321	829 I	6 - 12 - 24	12

TECHNICAL FEATURES - 98 IK					
Tensione	V	220 / 240	Superficie filtrante	m ²	0,30
Numero motori	-	1	Portata aria	l/s	53
Raffreddamento	-	By pass	Depressione	mbar	210
Potenza massima	W	1100	Livello sonoro	dbA	65
Potenza nominale	W	1000	Lunghezza cavo	m	10
Capacità serbatoio	l	25	Peso (senza accessori)	kg	9 / 9,6
Capacità utile	l	18	Dimensioni	cm	34x34x73
Capacità sacchetto filtro carta	l	15	Dimensioni scatola	cm	44x35x85

LIFTING SYSTEMS



06005005



06005505



06010005



06010155



06010807



06010805



06015035



06015006

06005005 GALVANIZED STEEL ROPES EYELET/EYELET

Galvanised steel ropes eyelet/eyelet from Ø 6 mm to Ø 40 mm with overall lengths from 1 m to 15 m.

06005505 CONTINUOUS LOOP GALVANIZED STEEL ROPES

Galvanised steel ropes with continuous loops from Ø 10 mm to Ø 30 mm with lengths upon request.

06010005 NYLON BANDS EYELET/EYELET

Nylon bands eyelet/eyelet for lifting with heights ranging from 50 mm up to 300 mm and lengths upon request.

06010155 CONTINUOUS LOOP NYLON BANDS

Continuous loop nylon bands for lifting with heights ranging from 50 mm up to 300 mm and lengths upon request.

06010807 JACKS FOR SLAB ANCHORING

Chain tensioning jacks with hook and tail lift hook

06010805 ANCHOR JACKS

Chain tensioning jacks for slab anchoring with nylon band m 9.5 long.

06015035 VERTICAL/HORIZONTAL LIFTING CLAMP

Both horizontal and vertical lifting clamp available with capacities 500 kg and 1,500 kg.

06015006 VERTICAL LIFTING CLAMP

Vertical lifting clamp available with capacities 350 kg - kg 500 and 1,500 kg.



06015020



06015030



06015056



06015054



06020005



06020010



06020006



06020007

06015020 LIFTING CLAMP NARROW SPACES

Vertical lifting clamp perfect for lifting in confined spaces with capacity 500 kg.

06015030 KAIMAN LIFTING CLAMP

Vertical lifting clamp perfect for lifting in confined spaces with opening mm 15 to mm 50 with capacity kg 1,200 (white or black rubber)

06015056 RECTANGULAR SPARES TYRES

Rectangular tyres for lifting clamps available in sizes mm 180x120 mm and mm 153x100.

06015054 CIRCULAR SPARE TYRES

Circular tyres for lifting clamps diameter 85 mm available in non-marking black or white.

06020005 ALUMINIUM SUCTION CUP 1 PLATE

Aluminium suction cup with 1 rubber plate.

06020010 ALUMINIUM SUCTION CUP WITH VACUUM GAUGE

Aluminium ring suction cup with vacuum gauge.

06020006 ALUMINIUM SUCTION CUP 2 PLATES

Aluminium suction cup with 2 rubber plates.

06020007 ALUMINIUM SUCTION CUP 3 PLATES

Aluminium suction cup with 3 rubber plates.

LIFTING SYSTEMS (SUCTION CUPS)



06020105



06020110



06020130



06020135

06020105 MODEL M1

Suction cups with 1 plate with capacity up to 1,000 kg. Possibility of power both with compressed air and electrical power 220/400 V and with battery. Tilting 0° - 90° manual.

06020110 MODEL P1A

Suction cups with 1 plate with capacity up to 1,000 kg. Powered with compressed air. Tilting 0° - 90° pneumatic.

06020130 MODEL M2

Suction cups with 2 plates with capacity up to 1,500 kg. Possibility of power both with compressed air and electrical power 220/400 V and with battery. Tilting 0° - 90° manual.

06020135 MODEL P2A

Suction cups with 2 plates with capacity up to 1,500 kg. Powered with compressed air. Tilting 0° - 90° pneumatic.



06020155



06020163



06020185



06020190



06020195

06020155 MODEL M3

Suction cups with 3 plates with capacity up to 2,000 kg. Possibility of power both with compressed air and electrical power 220/400 V and with battery. Tilting 0° - 90° manual.

06020163 MODEL P3A

Suction cups with 3 plates with capacity up to 2,000 kg. Powered with compressed air. Tilting 0° - 90° pneumatic.

06020185 MODEL M4

Suction cups with 4 plates with capacity up to 2,000 kg. Possibility of power both with compressed air and electrical power 220/400 V and with battery. Tilting 0° - 90° manual.

06020190 MODELS P4A

Suction cups with 4 plates with capacity up to 2,000 kg. Powered with compressed air. Tilting 0° - 90° pneumatic.

06020195 MODELS P5A550K FOR KITCHEN COUNTERTOPS

Suction cups with 5 plates with capacity up to 550 kg. Powered with compressed air. Tilting 0° - 90° pneumatic.

PACKAGING SYSTEMS



09005100



09010100



09005510



09020015

09005100 HEAT SHRINK POLYETHYLENE REELS (TRT)

Heat shrink polyethylene (TRT) reels in sheets 150 cm and one-fold sheets 100/200 cm and 150/300. Thickness 200 my.

09010100 FIRST CHOICE POLYETHYLENE REELS

First choice polyethylene reels from 1 m up to 3.20 m with thickness ranging from 55 to 75 my.

09005510 HEAT SHRINK POLYETHYLENE CAPS (TRC)

Heat shrink polyethylene caps (TRC) with sizes and thickness on request.

09020015 POLYETHYLENE FOAM ROLLS


Polyethylene foam rolls with sizes and thicknesses on request.




09020505



09005310



09030100



09035060



09025031



05005065




05005305

09020505	POLYETHYLENE FOAM "U" PROFILES
	Polyethylene foam "U" profiles with sizes and thickness on request.
09005310	TUBULAR POLYETHYLENE ROLLS
	Tubular polyethylene rolls for wooden packaging protectors (slabs).
09030100	POLYSTYRENE SHEETS
	Polystyrene sheets with dimensions, thickness and density on request.
09035060	EXTRA THIN POLYSTYRENE SHEETS
	Extra thin polystyrene sheets with dimensions, thickness and density on request.
09025031	POLYSTYRENE BOXES
	Polystyrene boxes, available in various sizes.
05005065	HEAT GUN
	Heat gun for jolly type packaging.
05005305	FLAME THROWER
	flame thrower 40 cm - 60 cm - 100 cm.

PACKAGING



05005025



05005034




05005030



05005015



05005020



05005035

05005025 PLASTIC STRAPPING

Plastic strapping in rolls 1,500 m per width 15 x 0.8 m.

05005030 METAL STRAPPING

Galvanised metal strap with width m 16x 0.5 thick

05005034 THERMOPLASTIC STRAPPING

Thermoplastic strapping km 1.4 with width m 16 x 0.8 thick.

05005015 PLASTIC STRAPPING TROLLEY

Plastic strapping trolley with wheels and seal drawer.

05005020 STEEL STRAPPING TROLLEY

Steel strapping trolley with wheels and seal drawer.

05005035 SEALS FOR PLASTIC STRAPPING

Seals for plastic strapping m 15 available in packs of 2000 pieces.



05005200



05005005




05005010



05005008



05005110



05005117

05005200	PLASTIC CORNER COVERS
	Plastic corners per packaging, available in packs of 4000 pieces.
05005005	SEALING UNIT FOR PLASTIC STRAPPING
	Sealing tool for manual plastic strapping.
05005010	SEALING UNIT FOR STEEL STRAPPING
	Sealing tool for manual steel strapping.
05005008	SEALING UNIT FOR THERMOPLASTIC STRAPPING
	Strapping tool for thermoplastic battery strapping.
05005110	TACKER
	Rocama tacker.
05005117	NAILS FOR TACKER
	Nails for Rocama tacker in packs of 5000 pieces.

PACKAGING



05005049



05005047



05005057



05005045



05005060



05025005



05035040



05035020



05035030



05035051

05005049 PAPER TAPE

Paper tape available in heights 3 cm and 5 cm.

05005047 TRANSPARENT PACKING TAPE

Transparent packing tape 5 cm height.

05005057 PRINTED PACKING TAPE

Printed packing tape (fragile) height cm 5.

05005045 COLOURED PACKING TAPE

Coloured packing tape (white, Havana brown) height cm 5.

05005060 WOVEN TAPE FOR BASE

Woven tape for base with width 12 mm and roll length m 50.

05025005 NAILS

Nails for packaging available in packs of 5 kg with different lengths from 5 cm to 10 cm.

05035040 IRON HAMMER CARPENTER TYPE

Iron hammer carpenter type available in 300 g and 400 g.

05035020 IRON MALLET

Iron mallet kg 0.8 - kg 1.

05035030 RUBBER HAMMER

Rubber mallet kg 0.500 and kg 1.

05035051 PINCERS

Iron pincers.

MEASURING SYSTEMS



05015055



05015050



05015057



05015066



05015010



05015005



05015028



05015023



05015215

05015055	PLASTIC METER STICKS M 1- M 2
	Plastic meter sticks m 1- m 2.
05015050	WOODEN METER STICKS M 1- M 2
	Wooden meter sticks m 1- m 2.
05015057	ALUMINIUM METER STICKS M 1 - M 2
	Aluminium meter sticks m 1- m 2.
05015066	STAINLESS STEEL METER STICKS M 0.5 - M 1
	Stainless steel meter sticks 0.5 m - 1 m.
05015010	STAINLESS STEEL MEASURING TAPES M 3 - M 5
	Stainless steel measuring tapes m 3 - m 5.
05015005	YELLOW ABS MEASURING TAPES M 3 - M 5
	Yellow ABS measuring tapes 3 - 5 m.
05015028	STANLEY TYLON MEASURING TAPES M 3 - M 5
	Stanley Tylon measuring tapes (3 m or 5 m).
05015023	LOW-COST GREY ABS MEASURING TAPE M3 - M 5
	Low-cost grey ABS measuring tapes m 3 - m 5.
05015215	LASER DETECTOR
	Laser detector with colour lit screen, with Pythagorean functions, combine measurements, multiple wall area.

WRITING SYSTEMS



05010010



05010017



05010020



05010035



05010115

05010010 PERMANENT VITROGRAPHY PENCILS

Permanent glass marking pencils, colours: red, blue, black, white and yellow.

05010017 NON-PERMANENT GLASS MARKING PENCILS

Non permanent glass marking pencils, colours: red, blue, black, white and yellow.

05010020 SELF SHARPENING VITROGRAPHY PENCIL

String glass marking pencils, colours: red, blue, black, white and yellow.

05010035 PENCILS FOR STONEMASONS

Pencils for stonemason 30 cm.

05010115 PERMANENT CRAYONS

Permanent crayons available colours: red, blue, black, white and yellow.



05010165



05010255



05010155

05010165 SOLID MARKER

Wax Solid Marker for writing on nylon and wood, available in colours: red, blue, black.

05010255 SPRAY PAINT

Acrylic spray paint for marking blocks available in various colors.

05010155 PENTEL PEN MARKERS

Permanent black Pentel Pen markers with round or square tip.

GLOVES



06515125



06515185



06515188



06515187



06515156



06515095



06515200



06515161



06515195

06515125 ULTRA THIN LATEX GLOVES

Ultra thin latex gloves.

06515185 ULTRA THIN NITRILE GLOVES

Ultra thin nitrile gloves

06515188 NEW GRIP NITRILE GLOVES

New grip nitrile gloves

06515187 EXTRA GRIP COATED NITRILE GLOVES

Extra grip coated nitrile gloves.

06515156 POLYURETHANE GLOVES

Polyurethane gloves.

06515095 PVC GLOVES

Red PVC gloves: cm 45.

06515200 ARAMID FIBRE GLOVES

Aramid fibre heat resistant gloves.

06515161 VISITOR FLOCK GLOVES

Visitor flock gloves.

06515195 MICROPOROUS COATED NITRILE GLOVES

Microporous coated nitrile gloves.



06515193



06515160



06515190



06515191



06515065



06515005



06515249



06515245



06515246

06515193	DOTTED NITRILE COATED NYLON GLOVES
	Dotted nitrile coated nylon gloves
06515160	LATEX FOAM GLOVES
	Latex foam gloves.
06515190	NBR COATED NITRILE GLOVES
	NBR coated nitrile gloves.
06515191	COATED NITRILE GLOVES WITH CUFF
	Coated nitrile gloves with cuff.
06515065	KNURLED NATURAL RUBBER GLOVES
	Knurled natural rubber gloves: cm 35 - 45 - 60 cm.
06515005	100% COTTON GLOVES
	100% cotton gloves
06515249	GRAIN LEATHER GLOVES WITH VELCRO REGULAR OR WITH FLEECE
	Grain leather gloves with velcro regular or with fleece.
06515245	COW GRAIN LEATHER GLOVES REGULAR OR WITH FLEECE
	Cow grain leather gloves regular or with fleece.
06515246	GRAIN LEATHER GLOVES WITH BACK IN SPLIT LEATHER
	Grain leather gloves with back in split leather.

SAFETY MASKS



06520095



06520035



06520066



06520096



06520067



06520015



06520005

06520095 ACTIVE CARBONS DUST MASK

Active carbons dust mask, model 5140 FFP 1D.

06520035 MOLDEX DUST MASK

Moldex dust mask with suction valve, model 2365 FFP 1D.

06520066 DUST MASK

Dust mask double protection with suction valve active carbons, model 5261 FFP 2D.

06520096 DUST MASK

Dust mask with suction valve active carbons, model 5141 FFP 1D.

06520067 DUST MASK

Dust mask with suction valve, model 5321 FFP 3D.

06520015 DUST MASK

Foldable dust mask with suction valve, model 4311 FFP 3D.

06520005 DUST MASK

Foldable dust mask with suction valve, model 9322 FFP 2D.



06520006



065200154



06520125



06520065



06520126



06520155



06520160

06520161

06520006	DUST MASK
Foldable dust mask with suction valve, model 9320 FFP 2D.	
065200154	OPTIFIT FACE MASK
Optifit face mask.	
06520125	DISPOSABLE DUST MASKS
Disposable dust masks.	
06520065	DOUBLE PAPER DUST MASK
Dust mask with suction valve, model 5111 FFP 1D.	
06520126	DUST MASK
Double paper dust mask model 5110 FFP 1D.	
06520155	VALUAIR FILTER MASK
Valuair half face mask.	
06520160	FILTERS FOR FACIAL MASKS
Filters for facial masks, normal dust.	
06520161	FILTERS FOR FACIAL MASKS
Filters for facial masks (pink), toxic dust.	

CLOTHING AND PROTECTION SYSTEMS



06505135



06505136



06505905



06505149



06505055



06505195

06505135 LEATHER APRON

Leather apron, split leather with laces.

06505136 RED AND GREEN RUBBER APRON

PVC heavy duty red aprons and light nylon green aprons.

06505905 RUBBER GROMMETS

Rubber grommets for block cutters.

06505149 COTTON APRON

Cotton khaki apron with laces.

06505055 PVC JACKET PANTS SUIT

PVC pants jacket suit light or heavy duty type on request.

06505195 COTTON JUMPSUIT WITH ZIPPER

Cotton jumpsuit available from size M to XXL.



06505096



06505025



06505005



06505176



06505156

06505096 COTTON JACKET

Cotton jacket available from size M to XXL.

06505025 COTTON LONG JACKET

Cotton long jacket available from size M to XXL.

06505005 COTTON OVERALLS

Cotton overalls available from size M to XXL.

06505176 COTTON BIB KAKI MODEL

Cotton bib available from size M to XXL.

06505156 KAKI COTTON TROUSERS

Cotton trousers available from size M to XXL.

EARPLUGS, GOGGLES AND HEADSETS



06530010



06530011



06530014



06530013



06530015



06530012



06530016

06530010 EAR CLASSIC EAR PLUGS

EAR Classic ear plugs.

06530011 EAR PLUGS 3M

Ear plugs 3M.

06530014 EAR PLUGS WITH HEADBAND

Ear plugs with headband.

06530013 EAR SPARE EAR PLUGS WITH HEADBAND

EAR spare ear plugs with headband.

06530015 EAR PLUGS WITH HEADBAND 3M.

Ear plugs with headband 3M.

06530012 SPARE EAR PLUGS WITH HEADBAND 3M

Spare ear plugs with headband 3M.

06530016 EAR PLUGS WITH LANYARD

Ear plugs with lanyard.



06530105



06530106



06530107



06530115



06530057



06520145



06530056

06530105 EYEGASSES 511 BLU

Blue 511 glasses with Polic scratch-proof lens.

06530106 TRANSPARENT 505 GLASSES

505 transparent glasses with scratch-resistant lens.

06530107 GLASSES 505 SMOKE

505 glasses with scratch-resistant lens.

06530115 COVER GOGGLES 520 TRANSPARENT

Cover goggles 520 transparent.

06530057 LEIGHTNING HEADSET

Leightning headset.

06520145 GOGGLE MASK WITH ELASTIC

Goggle mask with elastic.

06530056 HEADSET MACH 1

Headset Mach 1.

SHOES



06525008



06525067



06525115



06525061



06525080



06525074



06525082



06525084

06525008 SANDALS S1P

S1P sandals with steel toe cap and layer, suede leather.

06525067 SHOES VICTOR S1P

Victor S1P shoes with composite toe cap and layer, perforated suede leather.

06525115 ANKLE BOOTS FABER S1P

Faber S1P ankle boots with light plus toe cap and flex system zero layer, suede leather.

06525061 SHOES NEVADA S1P

Nevada S1P shoes with composite toe cap and layer, suede leather.

06525080 SHOES MONZA S1P

Monza SP1 lightweight shoes with perforated steel toe and non metal composite layer, suede leather.

06525074 SHOES CAPRI S1P

Monza SP1 lightweight shoes with perforated and perspirant steel toe and non metal composite layer.

06525082 SHOES AIR FORCE FOUR S1P

Air Force Four S1P shoes with light plus toe cap and flex system zero layer, suede leather.

06525084 SHOES GREEN S1P

Green S1P shoes with light plus toe cap and flex system zero layer, perspirant suede leather.



06525070



06525066



06525109



06525113



06525118



06525155



06525068



06525111

06525070 SHOES BASSANO S3

Bassano S3 shoes with steel toe cap and layer, grain leather.

06525066 SHOES NEBRASKA S3

Nebraska S3 shoes with composite toe cap and layer, suede leather.

06525109 ANKLE BOOTS KANSAS S3

Kansas S3 shoes with composite toe cap and layer, suede leather.

06525113 ANKLE BOOTS MAROSTICA S3

Marostica S3 ankle boots with steel toe cap and layer, grain leather.

06525118 ANKLE BOOTS DAKAR VIBRAM S3

Dakar Vibram S3 ankle boots with steel toe cap and layer, nubuck leather.

06525068 SHOES MOZART S3

Mozart S3 shoes with composite toe cap and steel layer, black leather.

06525111 ANKLE BOOTS VERDI S3

Verdi S3 ankle boots with composite toe cap and steel layer, black leather.

06525155 RUBBER BOOTS

Rubber boots with steel toe cap and layer.

KEDIL INSTALLATION SYSTEMS



08040410



08040270



08040265



08040195



08040260

08040410 ADHESION

High-performance, white epoxy-polyurethane adhesive. It is fit for general purpose use and is particularly suitable for the laying of natural stone and marble sensitive to humidity. It adheres to any surface. It is not suitable for bathtubs or swimming pools. Available in packs of kg 5 and kg 10. **It is suitable for the bonding of net reinforced marble or granite.**

08040270 SUPER 24

Bi-component, quick-setting and drying cementitious adhesive for professional use. Suitable for fixing natural stones, marbles and granites, resin- and cement-based composite marbles, ceramic tiles and stoneware. It can be used on indoor and outdoor floors and walls. Owing to its high deformability, it is the ideal adhesive for use with underfloor heating as well as on façades (double-spreading application method), in swimming pools and on top of existing coverings. Especially suitable for high-traffic areas. It is perfect for fixing recomposed and dimensionally stable stones. Classified as a C2FTE S2 adhesive (according to EN 12004 and EN 12002). **It is suitable for the bonding of net reinforced marble or granite.**

08040265 SUPER 120

Bi-component cementitious adhesive with a high polymer content, medium-fast hydration, no vertical slip and extended open time. Suitable for laying resin and cement bonded reconstituted stone, large size ceramic and porcelain stoneware tiles, overlapping marble and granite, in pools, in high-traffic and high-stress areas. Adhesive compliant with classification C2 TE S2 (according to EN 12004 and EN 12002). **It is suitable for the bonding of net reinforced marble or granite.**

08040195 KEDY S2 MONO

Single-component cement adhesive, with a high polymer content, thixotropic, with no vertical slipping and with prolonged opening time, grey or white in colour, for professional use. Suitable for laying, including thick-bed method, of natural stone, marble, resin, mosaics of all kinds, ceramic and porcelain stoneware, as overlay, in swimming pools, on heating screeds subject to heavy traffic, on façades, on flexible bases due to its high elasticity, laying of thin porcelain stoneware also for sizes 150x300cm. **It is suitable for the bonding of net reinforced marble or granite.**

08040260 FAST MAXI

Quick-setting, vertical creep resistant, thixotropic cementitious adhesive with high polymer content, for professional use. Suitable for medium- to large-sized ceramic and porcelain tiles and for stone materials (as long as moisture-stable). Ideal where the premises must be ready for use in a short time. It can be used in high-traffic, high stress areas. FAST MAXI can be used on indoor and outdoor floors and walls, on cement plasters and screeds, on top of existing floors, on heating screeds and concrete structures (provided they have been adequately cured). Especially suitable for laying large-sized tiles, including on not perfectly flat substrates (up to 15 mm adhesive thickness). It can also be applied to anhydrite screeds and gypsum board walls previously primed with APPREX G.



08040250



08040300



08040290



08040190

08040250 FAST

Quick-setting, vertical creep resistant, thixotropic cementitious adhesive with high polymer content, for professional use. Suitable for use with medium and large size ceramic and porcelain stoneware tiles and stone materials. Ideal where the premises must be ready for use in a short time. It can be used in high-traffic, high stress areas. FAST can be used on indoor and outdoor floors and walls, on cement plasters and screeds, on top of existing floors, on heating screeds and concrete structures (as long as completely cured). It can also be applied to anhydrite screeds and gypsum board walls previously primed with APPREX G. Classified as a C2FTE (according to EN 12004).

08040300 KEDILSTONE MAXI

Single-component cementitious adhesive, high polymeric content, in white powder, quick setting and hydration and no vertical slip, for professional use. Suitable for laying ceramic and porcelain stoneware, also large in size, natural stone, in overlay, in swimming pools, in places subject to heavy traffic and high stresses. Adhesive complies with classification C2FTE S1 (according to EN 12004) and (EN 12002) adhesive thickness up to 15 mm.

08040290 KEDILSTONE

Extra-white, quick-drying, no vertical slip, thixotropic cementitious adhesive with a high polymer content for professional use. Suitable for fixing natural stone and all types of porcelain and ceramic tiles. Suitable for indoor and outdoor floors and walls, on cement plasters and screeds, on top of existing flooring, in high-traffic areas, in swimming pools, cellular concrete blocks (interior only), on concrete structures (provided they have been adequately cured) as well as on substrates waterproofed with KEDILASTIC or ISOLFLEX. It can also be applied to anhydrite screeds, gypsum walls and plasterboard panels, that have been primed with APPREX G. Adhesive classified as a C2FTE (according to EN 12004).

08040190 KEDYTOP

Thixotropic, vertical creep resistant cementitious adhesive with excellent workability properties, extended open time and high polymer content, for professional use. Available in white or grey. Suitable for fixing (including by thick-bed method) porcelain tiles and all types of ceramic and stone materials, as long as moisture-stable. Especially suitable for laying large-sized tiles, including on not perfectly flat substrates (up to 15 mm adhesive thickness). KEDYTOP can be applied on indoor and outdoor floors and walls, on cement plasters and screeds, on top of existing floors, on heating screeds and cellular concrete blocks (interior use only), in high-traffic areas, in swimming pools, on concrete structures (completely cured), as well as on substrates waterproofed with KEDILASTIC or ISOLFLEX range. After specific priming with APPREX G, it can also be applied to anhydrite screeds, gypsum walls and plasterboard panels. Adhesive classified as a C2TE S1 (according to EN 12004 and EN 12002). KEDYTOP, used after laying PRIMERFLEX, is suitable for gluing on net reinforced marble and granite dithered.

KEDIL FIXING SYSTEMS



08040140



08040310



08050010



05035065

08040140 KEDILFLEX

Thixotropic, vertical creep resistant cementitious adhesive with extended open time and high polymer content, for professional use, available in white or grey. Suitable for fixing porcelain tiles and all types of ceramic and stone materials, as long as moisture stable. KEDILFLEX can be used on indoor and outdoor floors and walls, on cement plasters and screeds, on top of existing floors, on heating screeds and cellular concrete blocks (interior use only), in high-traffic areas, in swimming pools, on concrete structures (completely cured), as well as on substrates waterproofed with KEDILASTIC or ISOLFLEX range. After specific priming with APPREX G, it can also be applied to anhydrite screeds, gypsum walls and plasterboard panels. Adhesive classified as a C2TE (according to EN 12004).

08040310 KEDYMOS

Extra-white, thixotropic cementitious adhesive with extended open time, for professional use. Ideal for glass mosaics and all types of ceramic and stone mosaics. It can be used on indoor and outdoor floors and wall coverings, plaster and cement screed, in swimming pools. To fix mesh-mounted mosaics in swimming pools, dilute with ADIFLEX and water in 1:1 ratio. Adhesive classified as a C2TE (according to EN 12004).

08050010 SIGILCEM 0.4

Waterproof cementitious fine-grained high workability sealant. Suitable for 0 to 4 mm grouting of ceramic tiles of all types, including porcelain stoneware, natural stone and glass mosaics. Available in different colours, it has an excellent abrasion resistance (AR). SIGILCEM 0.4 is classified as CG2 (according to EN 13888). Naturally combats the growth of bacteria, mould and mildew. On exterior façades, in swimming pools, in places with high pedestrian traffic or where cleaning is performed with industrial means, in place of mixing water, the use of SIGILAX, elasticising synthetic latex is recommended, satisfying the requirements of class CG2 S1 (according to EN 13888 and EN 12002).

08050155 SIGILAX

SIGILCEM and SIGILCOLOR for indoor and outdoor applications requiring greater strength, firmness, flexibility, lower porosity and less absorption. Ideal for the grouting of high pedestrian and industrial traffic flooring and in swimming pools. It is recommended after further degreasing or polishing operations with polishing machines.

05035065 SCRAPER FUGALINDA

Fugalinda scraper for cleaning or removing cementitious interspaces.



08050155



08030070



08030149



08030140



08030143

08030070 KEDILASTIC 1

One component, average flexibility waterproofing and anti-carbonation cementitious mortar for concrete, cementitious plasters and screeds. Suitable for use in swimming pools, tanks, balconies, terraces, bathrooms, showers. It forms a flexible membrane and can be applied to cementitious substrates or existing wall coverings providing they are clean and firmly anchored to the substrate. Apply two coats at a distance of 3-5 hours apart. To make the membrane more resistant to cracking of the substrate, embed a fibreglass mesh in the first coat. Protect from rain and wash-off for at least 48 hours after being applied. It can be overlaid with ceramic tiles after approximately 2-3 days. To be covered.

08030140 ISO TEX

Waterproof membrane, positioned under the layer of tiles, it waterproofs and protects the floor from breakage of the screed and from the migration of moisture. This is due to the two outer layers of polypropylene fabric with one inner layer of polyethylene.

08030149 TEX DESOLARIZZANTE

Sheeting that allows laying without grouting and expansion joints as it distributes the tensions between the parts

08030143 PRO STONE

Our post laying protective sheeting is ideal for the protection of natural stone as it is breathable and also highly resistant to the accidental dropping of heavy tools Cost reduction due to reuse Puncture-proof and high mechanical resistance Heat set, resulting in high abrasion resistance, less fibre fly and reusable.

TECHNICAL EQUIPMENT



05035260



05040110



05040105



05035290




05045255



05045305



05025232



05025205

05035260 FIBREGLASS PROFILE ROLL

Fibreglass profile roll mm 10x3 available in rolls of 50 m or 100 m for reinforcing kitchen countertops.

05040110 TOP QUALITY BLUE PAPER ROLL

Top quality reinforced blue paper roll 350 sheets.

05040105 PURE CELLULOSE PAPER ROLL

Pure cellulose paper roll 800 sheets.

05035290 STEEL WOOL

Fine (A) and coarse (B) steel wool.

05045255 DOUBLE RUBBER SQUEEGEE SCRAPER

Double rubber squeegee scraper type A or B cm 40 - 60 - 75.

05045305 SINGLE RUBBER SQUEEGEE SCRAPER

Single rubber squeegee scraper cm 40 - 60.

05025232 FAST COUPLING CLAMPS

Clamps with fast coupling with lengths from 20 cm up to 200 cm.

05025205 SCREW COUPLING CLAMPS

Clamps with screw coupling with lengths from 20 cm up to 200 cm.



05020005	ANTI-SLIP RUBBER PROFILE-STRIPS
	Non-slip rubber strips, full or perforated profile, for steps for available in colors: black, grey, beige.
05020020	ADHESIVE ANTISLIP-ROLL
	Adhesive antislip-roll of mm25, length m 18,3. Black or Transparent.
05020025	ADHESIVE ANTISLIP-STRIP
	Adhesive antislip-strip of mm19, length cm 61. Black or Transparent.
05030115	GALVANISED HINGES
	Galvanised hinges available in 50-60-70-80 cm.
05030015	BLACK HINGES
	Black hinges available in 50-60-70-80 cm.
05035071	RECTANGULAR STEEL BRUSHES
	Rectangular steel brushes.
05035085	STEEL BRUSHES FOR FLOOR GRINDERS
	Steel brushes for floor grinders.
05035078	BRASS WIRE BRUSHES
	Brass wire brushes with plastic handle.
05035070	STEEL BRUSHES
	Steel brushes with wooden handle.
05035145	SPONGE
	Sponge for washing.

DIRECT SALES NETWORK

GREECE:

ADRIA HELLAS LTD
KEFALLINIAS, 4
65300 KAVALA – GREECE
Phone/Fax: 0030-2510-225454
Mob.0030-694-1588811
adriahellas.warehouse@gmail.com

TURKEY:

ADRIA ABRASIV LTD. STI
ASO 2. OSB. 2014. CADDE NO:34
ESKISEHIR YOLU, SINCAN
06930 ANKARA - TÜRKIYE
Phone: 0090-312-2195557
Fax: 0090-312-2195728
Mob. 0090-541-7639202
adriaturkiye@abrasiviadria.com

SPAIN:

ADRIA ABRASIVOS S.L.
POL. IND. A. GRANXA RUA B N. 5 INTERIOR
(BUDINO)
36475 PORRIÑO (PONTEVEDRA) - ESPAÑA
Phone: 0034-986-344440
Fax: 0034-986-344715
info@adriaabrasivos.es

POLAND:

ADRIA POLSKA SP. Z.O.O.
UL. DURCOWA N. 15
58-150 STRZEGOM – POLAND
Mob. 0048-609075936
magazyn@adriapolska.pl

USA:

ADRIA U.S.A. INC.
681 MAIN STREET BUILDING 31 - BELLEVILLE
07109 NEW JERSEY (NJ)
Phone: 001-973-7513500
Fax: 001-973-7513501
Mob. 001-2014711305
info@adriausa.net

BRASIL:

ADRIA BRASIL IMPORTAÇÃO
E EXPORTAÇÃO LTDA
AV. CENTRAL B, N. 233, LT 004,
GP 03, QD CL1, CIVIT II
CEP: 29168-071 SERRA - ES - BRASIL
Phone/Fax: 0055-27-32185558
Mob. 0055-27-981430333
alex@adriabrasil.com

CANADA:

ADRIA CHEMICALS & ABRASIVES INC.
910 ROWNTREE DAIRY ROAD 8
L4L5W4 VAUGHAN - ONTARIO
Mobile.: +1 (437)7703525
jagtar@abrasiviadria.com